



BRAZILIAN EXCHANGE AND OTC.



UP2DATA

TAXONOMY CATALOG

Revision History	5
Introduction	6
CurveFileV2	9
EquityInstrumentFile	10
FutureContractsInstrumentFile	14
IndexesFutureContractsInstrumentFile	18
OptionInstrumentFile	23
OptionInstrumentAnticipatedFile	26
IndexesOptionInstrumentFile	30
OptionOnEquitiesInstrumentFile	33
SwapInstrumentFileV2	37
SwapInstrumentFile	41
SettlementPriceFile	44
SettlementPriceSwapFile	46
IndexesSettlementPriceFile	47
EconomicIndicatorPriceFile	49
ReferencePriceFile	50
IndexesReferencePriceFile	52
StructuredOperationAdjustmentPriceFile	53
ETFTTradeFile	54
TradeInformationFile	56
TradeInformationAfterHoursFile	58

IndexesTradeInformationFile	61
TradeInformationIndexFile	63
ForwardTradeInformationFile.....	65
EODPriceFile.....	67
IndexesEODPriceFile.....	70
SecuritiesLendingPositionFile.....	73
OpenPositionFile.....	74
IndexesOpenPositionFile.....	75
ForwardOpenPositionFile	77
CashMarketPositionFile	78
PortfolioCompositionFile.....	79
StockPerIndexFile.....	80
VolatilitySurfaceFile	81
StructuredOperationInstrumentFile	82
IndexesStructuredOperationInstrumentFile	86
IndexMarketDataFile	90
CurveGPSFile.....	91
CurveFileV1	92
StockBehaviorFile	93
CorporateActionFile.....	93
CorporateActionIndexFile	101
CorporateActionIssuerFindFile	104
CorporateActionLifeCycleFile	110

CorporateActionScheduleBDRFile.....114

CorporateActionScheduleFile_EOD119

CorporateActionScheduleFile123

Revision History

Date	Version	Description
January 18, 2018	1.0	Initial version
August 06, 2018	1.1	Creation of 3 columns in DVA - SettlementPriceFile.
September 13, 2018	1.2	Change in DVA - ReferenePriceFile item 1.0 - ReferencePriceInformation.
October 19, 2018	1.3	New files : SwapInstrumentFileV2 and TradeInformationAfterHoursFile Inclusion of new fields (sufix Name) in the files: EquityInstrumentFile, FutureContractsInstrumentFile, IndexesFutureContractsInstrumentFile, OptionInstrumentFile, OptionInstrumentAnticipatedFile, IndexesOptionInstrumentFile, OptionOnEquitiesInstrumentFile, SwapInstrumentFileV2, SwapInstrumentFile, StructuredOperationInstrumentFile e IndexesStructuredOperationInstrumentFile
TBD	1.4	New files: IndexMarketDataFile , CurveGPSFile , CurveFileV1 Change name: CurveFile to CurveFileV2 File review: CashMarketPosition, CurveFile, CurveFileGPS, EODPriceFile, EquityInstrumentFile, FutureContractsInstrumentFile, IndexMarketDataFile, OptionInstrumentFile, SettlementPriceFile, StructuredOperationInstrumentFile, SwapInstrumentFile, StructuredOperationInstrumentFile, SwapInstrumentFile, TradeInformationFile, StockBehaviorFile NewFiles: CorporateActionFile, CorporateActionIndexFile, CorporateActionIssuerFindFile, CorporateActionLifeCycleFile, CorporateActionScheduleBDRFile, CorporateActionScheduleFile_EOD, CorporateActionScheduleFile.

Introduction

The purpose of this document is to present in a catalog format the data contained in the files created for the UP2DATA service. All files described in this document are available in the following formats: TXT, XML, JSON and CSV.

The table below shows the breakdown of the Channels vs. files that make up the Channel, Subchannels, the UP2DATA file name, and the file name available in the Directory.

Channel	Subchannel	UP2DATA File	Directory File
Commodities	OpenPosition	OpenPositionFile	Commodities_OpenPositionFile_YYYYMMdd
Commodities	ReferencePrice	ReferencePriceFile	Commodities_ReferencePriceFile_YYYYMMdd
Commodities	SecurityList	FutureContractsInstrumentFile	Commodities_FutureContractsInstrumentFile_YYYYMMdd
Commodities	SecurityList	OptionInstrumentFile	Commodities_OptionInstrumentFile_YYYYMMdd
Commodities	SecurityList	StructuredOperationInstrumentFile	Commodities_StructuredOperationInstrumentFile_YYYYMMdd
Commodities	SecurityList	SwapInstrumentFile	Commodities_SwapInstrumentFile_YYYYMMdd
Commodities	SettlementPrice	SettlementPriceFile	Commodities_SettlementPriceFile_YYYYMMdd
Commodities	TradeInformation	EODPriceFile	Commodities_EODPriceFile_YYYYMMdd
Commodities	TradeInformation	TradeInformationFile	Commodities_TradeInformationFile_YYYYMMdd
CorporateAction	-	CorporateActionFile	CorporateAction_CorporateActionFile_YYYYMMdd
CorporateAction	-	CorporateActionIndexFile	CorporateAction_CorporateActionIndexFile_YYYYMMdd
CorporateAction	-	CorporateActionIssuerFindFile	CorporateAction_CorporateActionIssuerFindFile_YYYYMMdd
CorporateAction	-	CorporateActionLifeCycleFile	CorporateAction_CorporateActionLifeCycleFile_YYYYMMdd
CorporateAction	-	CorporateActionScheduleBDRFile	CorporateAction_CorporateActionScheduleBDRFile_YYYYMMdd
CorporateAction	-	CorporateActionScheduleFile_EOD	CorporateAction_CorporateActionScheduleFile_EOD_YYYYMMdd
CorporateAction	-	CorporateActionScheduleFile	CorporateAction_CorporateActionScheduleFile_YYYYMMdd
Currency	OpenPosition	OpenPositionFile	Currency_OpenPositionFile_YYYYMMdd
Currency	ReferencePrice	ReferencePriceFile	Currency_ReferencePriceFile_YYYYMMdd
Currency	SecurityList	FutureContractsInstrumentFile	Currency_FutureContractsInstrumentFile_YYYYMMdd
Currency	SecurityList	OptionInstrumentFile	Currency_OptionInstrumentFile_YYYYMMdd
Currency	SecurityList	StructuredOperationInstrumentFile	Currency_StructuredOperationInstrumentFile_YYYYMMdd
Currency	SecurityList	SwapInstrumentFile	Currency_SwapInstrumentFile_YYYYMMdd
Currency	SettlementPrice	SettlementPriceFile	Currency_SettlementPriceFile_YYYYMMdd
Currency	TradeInformation	EODPriceFile	Currency_EODPriceFile_YYYYMMdd

Currency	TradeInformation	TradeInformationFile	Currency_TradeInformationFile_YYYYMMdd
Curves	-	CurveFileV1	Curves_CurveFile_YYYYMMdd
Curves	-	CurveGPSFile	Curves_CurveFile_GPS_YYYYMMdd
Curves	-	CurveFileV2	Curves_CurveFile_YYYYMMdd
Economic_Indicator	-	EconomicIndicatorFile	Economic_Indicator_EconomicIndicatorFile_YYYYMMdd
Equities	ETFTrade	ETFTradeFile	Equities_ETFTradeFile_YYYYMMdd
Equities	OpenPosition	CashMarketPositionFile	Equities_CashMarketPositionFile_YYYYMMdd
Equities	OpenPosition	ForwardOpenPositionFile	Equities_ForwardOpenPositionFile_YYYYMMdd
Equities	OpenPosition	IndexesOpenPositionFile	Equities_Indexes_OpenPositionFile_YYYYMMdd
Equities	OpenPosition	SecuritiesLendingPositionFile	Equities_SecuritiesLendingPositionFile_YYYYMMdd
Equities	ReferencePrice	IndexesReferencePriceFile	Equities_Indexes_ReferencePriceFile_YYYYMMdd
Equities	ReferencePrice	OptionOnEquitiesInstrumentFile	Equities_OptionOnEquitiesInstrumentFile_YYYYMMdd
Equities	ReferencePrice	ReferencePriceFile	Equities_ReferencePriceFile_YYYYMMdd
Equities	SecurityList	EquityInstrumentFile	Equities_EquityInstrumentFile_YYYYMMdd
Equities	SecurityList	IndexesFutureContractsInstrumentFile	Equities_Indexes_FutureContractsInstrumentFile_YYYYMMdd
Equities	SecurityList	IndexesOptionInstrumentFile	Equities_Indexes_OptionInstrumentFile_YYYYMMdd
Equities	SecurityList	IndexesStructuredOperationInstrumentFile	Equities_Indexes_StructuredOperationInstrumentFile_YYYYMMdd
Equities	SecurityList	OptionOnEquitiesInstrumentFile	Equities_OptionOnEquitiesInstrumentFile_YYYYMMdd
Equities	SecurityList	OptionOnEquitiesInstrumentFile	Equities_OptionOnEquitiesInstrumentFile_YYYYMMdd
Equities	SettlementPrice	IndexesSettlementPriceFile	Equities_Indexes_SettlementPriceFile_YYYYMMdd
Equities	TradeInformation	EODPriceFile	Equities_EODPriceFile_YYYYMMdd
Equities	TradeInformation	ForwardTradeInformationFile	Equities_TradeInformation_YYYYMMdd
Equities	TradeInformation	IndexesEODPriceFile	Equities_Indexes_EODPriceFile_YYYYMMdd
Equities	TradeInformation	IndexesTradeInformationFile	Equities_Indexes_TradeInformationFile_YYYYMMdd
Equities	TradeInformation	TradeInformationFile	Equities_TradeInformationFile_YYYYMMdd
Index	-	IndexMarketDataFile	Index_IndexMarketDataFile_YYYYMMdd
Index	PortfolioComposition	PortfolioCompositionFile	Index_PortfolioCompositionFile_YYYYMMdd
Index	-	StockBehaviorFile	Index_StockBehaviorFile_YYYYMMdd
Index	StockPerIndex	StockPerIndexFile	Index_StockPerIndexFile_YYYYMMdd
Index	TradeInformation	TradeInformationIndexFile	Index_TradeInformationIndexFile_YYYYMMdd
Interest_Rate	OpenPosition	OpenPositionFile	Interest_Rate_OpenPositionFile_YYYYMMdd

Interest_Rate	ReferencePrice	ReferencePriceFile	Interest_Rate_ReferencePriceFile_YYYYMMdd
Interest_Rate	SecurityList	FutureContractsInstrumentFile	Interest_Rate_FutureContractsInstrumentFile_YYYYMMdd
Interest_Rate	SecurityList	OptionInstrumentFile	Interest_Rate_OptionInstrumentFile_YYYYMMdd
Interest_Rate	SecurityList	StructuredOperationInstrumentFile	Interest_Rate_StructuredOperationInstrumentFile_YYYYMMdd
Interest_Rate	SecurityList	SwapInstrumentFile	Interest_Rate_SwapInstrumentFile_YYYYMMdd
Interest_Rate	SettlementPrice	SettlementPriceFile	Interest_Rate_SettlementPriceFile_YYYYMMdd
Interest_Rate	TradeInformation	EODPriceFile	Interest_Rate_EODPriceFile_YYYYMMdd
Interest_Rate	TradeInformation	TradeInformationFile	Interest_Rate_TradeInformationFile_YYYYMMdd
Volatility_Surface	VolatilitySurface	VolatilitySurfaceFile	Volatility_Surface_VolatilitySurfaceFile_YYYYMMdd

The table below brings a brief explanation about the fields in the UP2DATA Taxonomy Catalog.

Field	Description
Index	This item displays the index. The field also shows a hierarchy in an XML file.
Message Item	This item displays the field name in full.
Tag	This item displays the ALIAS of the field.
Mult.	This item displays the cardinality of the field and indicates whether it is mandatory or optional.
Data Type	This item displays the field data type.
Data Type Details	This item displays the characteristic of the field data type.
Description	This item displays a brief description of the field.

CurveFileV2

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	Curve	Crv	[0..*]	+		Contains the option instruments. Contains the curves.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	RateCode	RateCd	[1..1]	Max5Text	string maxLength = 5 minLength = 1	Rate code
1.3	RateDescription	RateDesc	[1..1]	Max15Text	string maxLength = 15 minLength = 1	Rate description.
1.4	YieldCurveCode	YldCrvCd	[1..1]	Max5Text	string maxLength = 5 minLength = 1	Yield curve code.
1.5	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.6	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.7	MarketIdentifierCode	MktIdrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF" (Securities Exchange)
1.8	WorkingDays	WrkgDays	[1..1]	int	int	Provides the number of business days, considering the date of the trading session until the date of contract expiration (inclusive).
1.9	VertexCharacteristic	VrtxChrtc	[1..1]	Max5Text	string maxLength = 5 minLength = 1	Vertex characteristic. Ex: Fixo Móvel
1.10	CalendarDays	ClnrDays	[1..1]	int	int	Provides the number of calendar days, considering the date of the trading session until the date of contract expiration (inclusive).
1.11	VertexCode	VrtxCd	[1..1]	int	int	Vertex code.
1.12	TheoreticalRate	ThrlRate	[1..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd7DecimalAmount	decimal fractionDigits = 7 totalDigits = 19	Theoretical rate.
1.13	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but

						doesn't was updated).
--	--	--	--	--	--	-----------------------

EquityInstrumentFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	EquityInstrument	EqtyInstrm	[0..*]	+		Contains the Equity Instrument
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktIdrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (Securities Exchange)
1.6	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.7	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.8	SegmentName	Sgmt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Segment represents the first level of market classification in the post trade process. Example:</p> <ul style="list-style-type: none"> 1 - Equity - Cash 2 - Equity derivatives 3 - Corporate bonds 4 - Agribusiness 5 - Financial 6 - Metal 7 - Energy 8 - Gov. Bonds 9 - FX <p>This field requires an external code list. These codes and values weremade in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalSegmentCode in the file ExternalCodeLists_BVMF.xls.</p>

1.9	MarketName	Mkt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Market represents the Second level of market classification in the post trade process. Example:</p> <ul style="list-style-type: none"> 1 - Spot Market 2 - Futures Market 3 - Options on Spot 4 - Options on Futures 5 - Forward 10 - Cash 12 - Options exercise (call) 13 - Options exercise (put) 17 - Auction 20 - Odd Lot 30 - Equity Forward 70 - Equity Call 80 - Equity Put <p>This field requires an external code list. These codes and values were made external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalMarketCode.</p>
1.10	Description	Desc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Description of the security in the trading system, e.g., Opção sobre ação, Opção sobre índice, Ouro, Futuro de Dólar, Swap Cambial, Rolagem de Soja, FWD Points DOL and so on.
1.11	SecurityCategoryName	SctyCtgy	[0..1]	Max50Text	string maxLength = 50 minLength = 1	<p>A Security Category represents the third level of market classification in the post trade process.</p> <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalSecurityCategoryCode in the file ExternalCodeLists_BVMF.xls</p>
1.12	TradingStartDate	TradgStartDt	[1..1]	ISODate	date	Start date of the financial instrument trading.
1.13	TradingEndDate	TradgEndDt	[1..1]	ISODate	date	Completion date of the financial instrument trading.
1.14	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nations International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.15	CFICode	CFICd	[1..1]	Max6Text	string minLength = 1 maxLength = 6	Code that classifies the instrument.
1.16	PaymentTypeName	PmtTp	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>Specifies how the transaction is to be settled.</p> <p>This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalPaymentTypeCode ExternalCodeLists_BVMF.xls</p>
1.17	AllocationRoundLot	AllcnRndLot	[1..1]	int	int	Pre-defined lot size for allocation purposes.

1.18	TradingCurrency	TradgCcy	[1..1]	ExternalActiveOrHistoricCurrencyCode	string length = 3	<p>This attribute has the code of the trading currency.</p> <p>This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalActiveOrHistoricCurrencyCode ExternalCodeLists_BVMF.xls</p>
1.19	ValueTypeName	ValTpCd	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>Identifies how the economic indicator value is expressed, e.g., price or rate.</p> <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalValueTypeCode in the file ExternalCodeLists_BVMF.xls.</p>
1.20	DistributionIdentification	Dstrbtnd	[1..1]	int	int	<p>Distribution code of the instrument</p> <p>Code that identifies the asset version.</p> <p>The pair "ISIN" + "Distribution Identification" is required for instruments that have a depositary, such as stocks and gold. There is no distribution for derivatives.</p>
1.21	SpecificationCode	SpcfctnCd	[1..1]	Max10Text	string maxLength = 10 minLength = 1	Code of stock specification e.g.: ON, PN.
1.22	CorporationName	CrpnNm	[1..1]	Max250Text	string maxLength = 250 minLength = 1	This field provides the corporation name.
1.23	PriceFactor	PricFctr	[1..1]	int	int	<p>A factor that indicates the number of shares that make up the price.</p> <p>The order price is displayed based on the price factor, e.g., if price factor is 1, the order price refers to 1 share. If the price factor is 1000, the order price represents the price of 1000 shares.</p>
1.24	CorporateActionStartDate	CorpActnStartDt	[1..1]	ISODate	date	Starting date of Corporate Action (dividends or bonuses distributed to shareholders by the company).
1.25	EXDistributionNumber	EXDstrbtnNb	[1..1]	int	int	Code distribution of the EX instrument.
1.26	CustodyTreatmentType	CtdyTrtmntTp	[1..1]	ExternalCustodyTreatmentTypeCode	int	<p>Provides the custody treatment type code.</p> <p>This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalCustodyTreatmentTypeCode in the ExternalCodeLists_BVMF.xls</p>
1.27	MarketCapitalisation	MktCptlstn	[1..1]	RestrictedFINImpliedCurrencyAndAmount	decimal	Share capital value of the legal entity (resident, non resident or non resident with CVM).
1.28	FirstPrice	FrstPric	[1..1]	RestrictedBVMFAcativeOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Opening price of the day.
1.29	LastPrice	LastPric	[1..1]	RestrictedBVMFA	decimal	Closing price of the day.

				ctiveOrHistoricCur rencyAnd12Decim alAmount	totalDigits = 28 fractionDigits = 12	
1.30	GovernanceIndicato r	GovnInd	[1..1]	ExternalGovernan ceIndicatorCode	string maxLength = 2	<p>A Governance Indicator represents the corporate governance level, classified according to the number of rules or practices adopted, Example: "N1" - "Nível 1", "N2" - "Nível 2", "NM" - "Novo mercado", "MB" - "Mercado de Balcao", "MA" - "Bovespa Mais".</p> <p>Corporate Governance consists of a standardization of practices and relationships between Shareholders, the Board of Directors, Executive Officers, Independent Audit and Audit Committee, in order to optimize business performance and facilitate access to capital.</p> <p>This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalGovernanceIndicatorCode ExternalCodeLists_BVMF.xls.</p>
1.31	DaysToSettlement	DaysToSttlm	[1..1]	Max4Text	string maxLength = 4 minLength = 1	Indicates the number of days to settlement.
1.32	RightsIssuePrice	RghtsIssePric	[1..1]	RestrictedFINActi veOrHistoricCurre ncyAnd10Decimal Amount	decimal fractionDigits = 10 minInclusive = 0 totalDigits = 25	Provides the rights issuance price.
1.33	UnderlyingInstrume ntIdentification	UndrlyglInstrmld	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Contains the identification of the underlying instrument.
1.34	AssetSubType	AsstSubTp	[1..1]	ExternalAssetSub TypeCode	string maxLength = 4 minLength = 1	<p>Asset Sub Type.</p> <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalAssetSubTypeCode in the file ExternalCodeLists_BVMF.xls.</p>
1.35	TargetInstrumentIde ntification	TrgtInstrmld	[1..1]	int	int	Identifies the target instrument.
1.36	AuctionTypeName	AuctnTp	[0..1]	Max35Text	string maxLength = 35 minLength = 1	<p>AuctionType.</p> <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalAuctionInstrumentTypeCode in the file ExternalCodeLists_BVMF.xls.</p>
1.37	DataStatus	DataSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	<p>This field shows the updating data of a particular record. The valid states are:</p> <p>I = Included (the line does not exist in the previous line). The first publications of the day has this status.</p> <p>U = Updated (the line already existed in the previous publication but was updated).</p> <p>D = Deleted (the row will be deleted). This informations will be showed</p>

					only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).
--	--	--	--	--	---

FutureContractsInstrumentFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	FutureContractsInstrument	FutrCtrctsInstrm	[0..*]	+		Contains the futures contract instruments.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktIdrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.7	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.8	SegmentName	Sgmt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	A Segment represents the first level of market classification in the post trade process. Example: 1 - Equity - Cash 2 - Equity derivatives 3 - Corporate bonds 4 - Agribusiness 5 - Financial 6 - Metal 7 - Energy 8 - Gov. Bonds 9 - FX

						This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external is ExternalSegmentCode in the file ExternalCodeLists_BVMF.xls
1.9	MarketName	Mkt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Market represents the Second level of market classification in the post trade process. Example:</p> <ul style="list-style-type: none"> 1 - Spot Market 2 - Futures Market 3 - Options on Spot 4 - Options on Futures 5 - Forward 10 - Cash 12 - Options exercise (call) 13 - Options exercise (put) 17 - Auction 20 - Odd Lot 30 - Equity Forward 70 - Equity Call 80 - Equity Put <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external is ExternalMarketCode</p>
1.10	Description	Desc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Description of Security in the Trade Structure system, e.g., Opção sobre ação, Opção sobre índice, Ouro, Futuro de Dolar, Swap Cambial, Rolagem de Soja, FWD Points DOL and so on.
1.11	SecurityCategoryName	SctyCtgy	[0..1]	Max50Text	string maxLength = 50 minLength = 1	<p>A Security Category represents the third level of market classification in the post trade process.</p> <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external is ExternalSecurityCategoryCode in the file ExternalCodeLists_BVMF.xls</p>
1.12	ExpirationDate	XprtnDt	[1..1]	ISODate	date	This attribute is the maturity date of the instrument.
1.13	ExpirationCode	XprtnCd	[1..1]	Max4Text	string maxLength = 4 minLength = 1	<p>Code of contract expiration. This attribute has two types of format:</p> <p>Format: MY M = Month Code Y = Year Code</p> <p>Format: MYOA where: M = Month Code</p>

						Y = Year Code O = Option Code A = Alphanumeric Sequence Code
1.14	TradingStartDate	TradgStartDt	[1..1]	ISODate	date	Start date of the financial instrument trading.
1.15	TradingEndDate	TradgEndDt	[1..1]	ISODate	date	Completion date of the financial instrument trading.
1.16	BaseCode	BaseCd	[0..1]	int	int	Basis for counting days. The number of days in the period of calculating, e.g., 252, 360, 365. Note: This field is used only for conversion from RATE to PRICE. This situation only applies to the following commodities: - DDI - DAP - DDM - DI1 - DIL Note: SCC is traded in RATE but it is not meant to be converted to price.
1.17	ConversionCriteria Name	ConvsCrit	[0..1]	Max35Text	string maxLength = 35 minLength = 1	Type of criteria of conversion, e.g., linear, exponential, non available. This field is used only for contracts traded in rate and needs to be converted to price. Currently this situation only occurs in the following commodities - DDI - DAP - DDM - DI1 - DIL Note: The foreign exchange swap is traded in rate but is not converted to price. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalConversionCriteriaTypeCode ExternalCodeLists_BVMF.xls
1.18	MaturityDateTarget Point	MtrtyDtTrgtPt	[0..1]	int	int	Contract value in points. This field is used along with the Base Code and Conversion Criteria Type to allow conversion from rate to price
1.19	RequiredConversionIndicator	ReqrdConvsInd	[1..1]	YesNoIndicator	boolean	Indicates whether an interest rate contract must be converted to price or not. Currently the only contract in rate that does not need to be converted is the foreign exchange swap. This field will not be filled for contracts traded price.

1.20	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.21	CFICode	CFICd	[1..1]	Max6Text	string minLength = 1 maxLength = 6	Code that classifies the instrument.
1.22	DeliveryNoticeStart Date	DlvryNtceStartDt	[0..1]	ISODate	date	Starting date of delivery notice. A notice written by the holder of the short position in a futures contract informing the clearing house of the intent and details of delivering a commodity for settlement.
1.23	DeliveryNoticeEnd Date	DlvryNtceEndDt	[0..1]	ISODate	date	Final date for the physical delivery, it is the deadline to deliver the object of the contract. A notice written by the holder of the short position in a futures contract informing the clearing house of the intent and details of delivering a commodity for settlement.
1.24	DeliveryTypeName	DlvryTp	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Code that identifies the type of delivery at maturity, e.g., Physical Delivery, Financial Delivery. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalDeliveryTypeCode ExternalCodeLists_BVMF.xls
1.25	PaymentTypeName	PmtTp	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Specifies how the transaction is to be settled. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalPaymentTypeCode ExternalCodeLists_BVMF.xls
1.26	ContractMultiplier	CtrctMltplr	[1..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Is the ratio between the contract size and the trading reference quantity. For Instance, Cattle is a 330 arrobas contract, but trade price refers to 1 arroba, so the multiplier is 330. Dollar contracts are 50000 USD but the price refers to 1000 USD, so the multiplier is 50. For contracts traded in rate instead of price, this attribute represents the ratio between target points and contract size
1.27	AssetQuotationQuantity	AsstQtnQty	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Indicates the commodity quantity in which the trading price is based on. For example: Cattle trading price is based on 1 arroba. Dollar trading price is based on 1000 dollars. This field is filled in with "1" if the instrument is traded at interest rate
1.28	AllocationRoundLot	AllcnRndLot	[1..1]	int	int	Pre-defined lot size for allocation purposes.

1.29	TradingCurrency	TradgCcy	[1..1]	ExternalActiveOrHistoricCurrencyCode	string length = 3	This attribute has the code of the trading currency. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalActiveOrHistoricCurrencyCode ExternalCodeLists_BVMF.xls
1.30	ValueTypeName	ValTpCd	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Defines the type of value of instrument, e.g., price or rate. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalValueTypeCode ExternalCodeLists_BVMF.xls
1.31	WithdrawalDays	WdrwDays	[1..1]	int	int	Provides the the number of days of withdrawal, considering the date of the trading session until the contract expiration date (inclusive).
1.32	WorkingDays	WrkgDays	[1..1]	int	int	Provides the number of business days, considering the date of the trading session until the date of contract expiration (inclusive).
1.33	CalendarDays	ClnrDays	[1..1]	int	int	Provides the number of calendar days, considering the date of the trading session until the date of contract expiration (inclusive).
1.34	DataStatus	DataSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

IndexesFutureContractsInstrumentFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	IndexesFutureContractsInstrument	IndxsFutrCtrctsInstrm	[0..*]	+		Contains the futures contract instruments indexes.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".

1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.7	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.8	SegmentName	Sgmt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Segment represents the first level of market classification in the post trade process. Example: 1 - Equity - Cash 2 - Equity derivatives 3 - Corporate bonds 4 - Agribusiness 5 - Financial 6 - Metal 7 - Energy 8 - Gov. Bonds 9 - FX</p> <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external is ExternalSegmentCode in the file ExternalCodeLists_BVMF.xls</p>
1.9	MarketName	Mkt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Market represents the Second level of market classification in the post trade process. Example: 1 - Spot Market 2 - Futures Market 3 - Options on Spot 4 - Options on Futures 5 - Forward 10 - Cash 12 - Options exercise (call) 13 - Options exercise (put) 17 - Auction 20 - Odd Lot 30 - Equity Forward 70 - Equity Call 80 - Equity Put</p> <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this</p>

						case the external is ExternalMarketCode
1.10	Description	Desc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Description of Security in the Trade Structure system, e.g., Opção sobre ação, Opção sobre índice, Ouro, Futuro de Dolar, Swap Cambial, Rolagem de Soja, FWD Points DOL and so on.
1.11	SecurityCategoryName	SctyCtgy	[0..1]	Max50Text	string maxLength = 50 minLength = 1	A Security Category represents the third level of market classification in the post trade process. This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external is ExternalSecurityCategoryCode in the file ExternalCodeLists_BVMF.xls
1.12	ExpirationDate	XprtnDt	[1..1]	ISODate	date	This attribute is the maturity date of the instrument.
1.13	ExpirationCode	XprtnCd	[1..1]	Max4Text	string maxLength = 4 minLength = 1	Code of contract expiration. This attribute has two types of format: Format: MYY M = Month Code Y = Year Code Format: MYOA where: M = Month Code Y = Year Code O = Option Code A = Alphanumeric Sequence Code
1.14	TradingStartDate	TradgStartDt	[1..1]	ISODate	date	Start date of the financial instrument trading.
1.15	TradingEndDate	TradgEndDt	[1..1]	ISODate	date	Completion date of the financial instrument trading.
1.16	BaseCode	BaseCd	[0..1]	int	int	Basis for counting days. The number of days in the period of calculating, e.g., 252, 360, 365. Note: This field is used only for conversion from RATE to PRICE. This situation only applies to the following commodities: - DDI - DAP - DDM - DI1 - DIL Note: SCC is traded in RATE but it is not meant to be converted to price.
1.17	ConversionCriteriaName	ConvsCrit	[0..1]	Max35Text	string maxLength = 35 minLength = 1	Type of criteria of conversion, e.g., linear, exponential, non available. This field is used only for contracts traded in rate and needs to be converted to price. Currently this situation only occurs in the following commodities

						<ul style="list-style-type: none"> - DDI - DAP - DDM - DI1 - DIL <p>Note: The foreign exchange swap is traded in rate but is not converted to price.</p> <p>This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalConversionCriteriaTypeCode ExternalCodeLists_BVMF.xls</p>
1.18	MaturityDateTarget Point	MtrtyDtTrgtPt	[0..1]	int	int	<p>Contract value in points.</p> <p>This field is used along with the Base Code and Conversion Criteria Type to allow conversion from rate to price</p>
1.19	RequiredConversionIndicator	ReqrdConvslnd	[0..1]	YesNoIndicator	boolean	<p>Indicates whether an interest rate contract must be converted to price or not.</p> <p>Currently the only contract in rate that does not need to be converted is the foreign exchange swap. This field will not be filled for contracts traded price.</p>
1.20	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	<p>International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.</p>
1.21	CFICode	CFICd	[0..1]	Max6Text	string minLength = 1 maxLength = 6	<p>Code that classifies the instrument.</p>
1.22	DeliveryNoticeStart Date	DlvryNtceStartDt	[0..1]	ISODate	date	<p>Starting date of delivery notice. A notice written by the holder of the short position in a futures contract informing the clearing house of the intent and details of delivering a commodity for settlement.</p>
1.23	DeliveryNoticeEnd Date	DlvryNtceEndDt	[0..1]	ISODate	date	<p>Final date for the physical delivery, it is the deadline to deliver the object of the contract. A notice written by the holder of the short position in a futures contract informing the clearing house of the intent and details of delivering a commodity for settlement.</p>

1.24	DeliveryTypeName	DlvryTp	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Identifies the type of delivery at maturity, e.g., Physical Delivery, Financial Delivery. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalDeliveryTypeCode ExternalCodeLists_BVMF.xls
1.25	PaymentTypeName	PmtTp	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Specifies how the transaction is to be settled. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalPaymentTypeCode ExternalCodeLists_BVMF.xls
1.26	ContractMultiplier	CtrctMltplr	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Is the ratio between the contract size and the trading reference quantity. For Instance, Cattle is a 330 arrobas contract, but trade price refers to 1 arroba, so the multiplier is 330. Dollar contracts are 50000 USD but the price refers to 1000 USD, so the multiplier is 50. For contracts traded in rate instead of price, this attribute represents the ratio between target points and contract size
1.27	AssetQuotationQuantity	AsstQtnQty	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Indicates the commodity quantity in which the trading price is based on. For example: Cattle trading price is based on 1 arroba. Dollar trading price is based on 1000 dollars. This field is filled in with "1" if the instrument is traded at interest rate
1.28	AllocationRoundLot	AllcnRndLot	[0..1]	int	int	Pre-defined lot size for allocation purposes.
1.29	TradingCurrency	TradgCcy	[1..1]	ExternalActiveOrHistoricCurrencyCode	string length = 3	This attribute has the code of the trading currency. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalActiveOrHistoricCurrencyCode ExternalCodeLists_BVMF.xls
1.30	ValueTypeName	ValTpCd	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Defines the type of value of instrument, e.g., price or rate. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalValueTypeCode ExternalCodeLists_BVMF.xls
1.31	WithdrawalDays	WdrwDays	[1..1]	int	int	Provides the the number of days of withdrawal, considering the date of the trading session until the contract expiration date (inclusive).
1.32	WorkingDays	WrkgDays	[1..1]	int	int	Provides the number of business days, considering the date of the trading session until the date of contract expiration (inclusive).
1.33	CalendarDays	ClnrDays	[1..1]	int	int	Provides the number of calendar days, considering the date of the trading session until the date of contract expiration (inclusive).
1.34	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status.

						<p>U = Updated (the line already existed in the previous publication but was updated).</p> <p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>
--	--	--	--	--	--	---

OptionInstrumentFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	OptionInstrument	OptnInstrm	[1..*]	+		Contains the option instruments.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.7	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.8	SegmentName	Sgmt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Segment represents the first level of market classification in the post trade process.</p> <p>Example:</p> <ul style="list-style-type: none"> 1 - Equity - Cash 2 - Equity derivatives 3 - Corporate bonds 4 - Agribusiness 5 - Financial 6 - Metal 7 - Energy 8 - Gov. Bonds

						<p>9 - FX</p> <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalSegmentCode in the file ExternalCodeLists_BVMF.xls.</p>
1.9	MarketName	Mkt	[1..1]	Max35Text	<p>string maxLength = 35 minLength = 1</p>	<p>A Market represents the Second level of market classification in the post trade process.</p> <p>Example:</p> <ul style="list-style-type: none"> 1 - Spot Market 2 - Futures Market 3 - Options on Spot 4 - Options on Futures 5 - Forward 10 - Cash 12 - Options exercise (call) 13 - Options exercise (put) 17 - Auction 20 - Odd Lot 30 - Equity Forward 70 - Equity Call 80 - Equity Put <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalMarketCode.</p>
1.10	Description	Desc	[1..1]	Max100Text	<p>string maxLength = 100 minLength = 0</p>	<p>Description of Security in the Trade Structure system, e.g., Opção sobre ação, Opção sobre índice, Ouro, Futuro de Dolar, Swap Cambial, Rolagem de Soja, FWD Points DOL and so on.</p>
1.11	ExpirationDate	XprtnDt	[1..1]	ISODate	date	<p>This attribute is the maturity date of the instrument.</p>
1.12	ExpirationCode	XprtnCd	[1..1]	Max4Text	<p>string maxLength = 4 minLength = 1</p>	<p>Code of contract expiration.</p> <p>This attribute has two types of format:</p> <p>Format: MY Y</p> <p>M = Month Code</p> <p>Y = Year Code</p> <p>Format: MYOA</p> <p>where:</p> <p>M = Month Code</p> <p>Y = Year Code</p> <p>O = Option Code</p> <p>A = Alphanumeric Sequence Code</p>
1.13	TradingStartDate	TradgStartDt	[1..1]	ISODate	date	<p>Start date of the financial instrument trading.</p>
1.14	TradingEndDate	TradgEndDt	[1..1]	ISODate	date	<p>Completion date of the financial instrument trading.</p>
1.15	ISIN	ISIN	[1..1]	ISINIdentifier	<p>string pattern = [A-Z0-9]{12,12}</p>	<p>International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix</p>

						representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.16	CFICode	CFICd	[1..1]	Max6Text	string minLength = 1 maxLength = 6	Code that classifies the instrument.
1.17	ContractMultiplier	CtrctMltplr	[1..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Is the ratio between the contract size and the trading reference quantity. For Instance, Cattle is a 330 arrobas contract, but trade price refers to 1 arroba, so the multiplier is 330. Dollar contracts are 50000 USD but the price refers to 1000 USD, so the multiplier is 50. For contracts traded in rate instead of price, this attribute represents the ratio between target points and contract size.
1.18	AssetQuotationQuantity	AsstQtnQty	[1..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Indicates the commodity quantity the trading price is based on. For example: Cattle trading price is based on 1 arroba. Dollar trading price is based on 1000 dollars. This field is filled in with "1" if the instrument is traded at interest rate
1.19	AllocationRoundLot	AllcnRndLot	[1..1]	int	int	Pre-defined lot size for allocation purposes.
1.20	TradingCurrency	TradgCcy	[1..1]	ExternalActiveOrHistoricCurrencyCode	string length = 3	This attribute has the code of the trading currency. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalActiveOrHistoricCurrencyCode ExternalCodeLists_BVMF.xls
1.21	WithdrawalDays	WdrwDays	[1..1]	int	int	Provides the the number of days of withdrawal, considering the date of the trading session until the contract expiration date (inclusive).
1.22	WorkingDays	WrkgDays	[1..1]	int	int	Provides the number of business days, considering the date of the trading session until the date of contract expiration (inclusive).
1.23	CalendarDays	ClnrDays	[1..1]	int	int	Provides the number of calendar days, considering the date of the trading session until the date of contract expiration (inclusive).
1.24	ExercisePrice	ExrcPric	[1..1]	RestrictedFINActiveOrHistoricCurrencyAnd10DecimalAmount	decimal fractionDigits = 10 minInclusive = 0 totalDigits = 25	Preset price at which the holder of a derivative will buy or sell the underlying instrument.
1.25	OptionStyle	OptnStyle	[1..1]	OptionStyle2Code	string	Specifies how an option can be exercised (American, European)
1.26	OptionType	OptnTp	[1..1]	OptionType1Code	string	Specifies whether it is a Call option (right to purchase a specific underlying asset) or a Put option (right to sell a specific underlying asset).

1.27	UnderlyingTickerSymbol	UndrlygTckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Identification underlying instrument (Ticker Symbol). Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.28	PremiumUpfrontIndicator	PrmUpfntInd	[1..1]	YesNoIndicator	boolean	Indicates whether the option on equities have its premium paid upfront or not.
1.29	OpeningPositionLimitDate	OpngPosLmtDt	[1..1]	ISODate	date	Deadline for open positions.
1.30	PureGoldWeight	PureGoldWght	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Quantity that defines the real pure gold weight in each futures contract. As long as only the 250 g contract is traded, the pure gold weight will always be 249,75 g.
1.31	DataStatus	DataSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

OptionInstrumentAnticipatedFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	OptionInstrument	OptnInstrm	[1..*]	+		This file contains the option instruments with early delivery.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".

1.5	MarketIdentifierCode	MktIdrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.7	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.8	SegmentName	Sgmt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	A Segment represents the first level of market classification in the post trade process. Example: 1 - Equity - Cash 2 - Equity derivatives 3 - Corporate bonds 4 - Agribusiness 5 - Financial 6 - Metal 7 - Energy 8 - Gov. Bonds 9 - FX This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalSegmentCode in the file ExternalCodeLists_BVMF.xls.
1.9	MarketName	Mkt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	A Market represents the Second level of market classification in the post trade process. Example: 1 - Spot Market 2 - Futures Market 3 - Options on Spot 4 - Options on Futures 5 - Forward 10 - Cash 12 - Options exercise (call) 13 - Options exercise (put) 17 - Auction 20 - Odd Lot 30 - Equity Forward 70 - Equity Call 80 - Equity Put This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalMarketCode.
1.10	Description	Desc	[1..1]	Max100Text	string	Description of Security in the Trade Structure system, e.g., Opção sobre

					maxLength = 100 minLength = 0	ação, Opção sobre índice, Ouro, Futuro de Dolar, Swap Cambial, Rolagem de Soja, FWD Points DOL and so on.
1.11	ExpirationDate	XprtnDt	[1..1]	ISODate	date	This attribute is the maturity date of the instrument.
1.12	ExpirationCode	XprtnCd	[1..1]	Max4Text	string maxLength = 4 minLength = 1	Code of contract expiration. This attribute has two types of format: Format: MY Y M = Month Code Y = Year Code Format: MYOA where: M = Month Code Y = Year Code O = Option Code A = Alphanumeric Sequence Code
1.13	TradingStartDate	TradgStartDt	[1..1]	ISODate	date	Start date of the financial instrument trading.
1.14	TradingEndDate	TradgEndDt	[1..1]	ISODate	date	Completion date of the financial instrument trading.
1.15	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.16	CFICode	CFICd	[0..1]	Max6Text	string minLength = 1 maxLength = 6	Code that classifies the instrument.
1.17	ContractMultiplier	CtrctMltplr	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Is the ratio between the contract size and the trading reference quantity. For Instance, Cattle is a 330 arrobas contract, but trade price refers to 1 arroba, so the multiplier is 330. Dollar contracts are 50000 USD but the price refers to 1000 USD, so the multiplier is 50. For contracts traded in rate instead of price, this attribute represents the ratio between target points and contract size.
1.18	AssetQuotationQuantity	AsstQtnQty	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Indicates the commodity quantity the trading price is based on. For example: Cattle trading price is based on 1 arroba. Dollar trading price is based on 1000 dollars. This field is filled in with "1" if the instrument is traded at interest rate
1.19	AllocationRoundLot	AllcnRndLot	[0..1]	int	int	Pre-defined lot size for allocation purposes.
1.20	TradingCurrency	TradgCcy	[1..1]	ExternalActiveOrHistoricCurrencyCode	string length = 3	This attribute has the code of the trading currency. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalActiveOrHistoricCurrencyCode ExternalCodeLists_BVMF.xls

1.21	WithdrawalDays	WdrwDays	[1..1]	int	int	Provides the the number of days of withdrawal, considering the date of the trading session until the contract expiration date (inclusive).
1.22	WorkingDays	WrkgDays	[1..1]	int	int	Provides the number of business days, considering the date of the trading session until the date of contract expiration (inclusive).
1.23	CalendarDays	ClnrDays	[1..1]	int	int	Provides the number of calendar days, considering the date of the trading session until the date of contract expiration (inclusive).
1.24	ExercisePrice	ExrcPric	[1..1]	RestrictedFINActiveOrHistoricCurrencyAnd10DecimalAmount	decimal fractionDigits = 10 minInclusive = 0 totalDigits = 25	Preset price at which the holder of a derivative will buy or sell the underlying instrument.
1.25	OptionStyle	OptnStyle	[1..1]	OptionStyle2Code	string	Specifies how an option can be exercised (American, European)
1.26	OptionType	OptnTp	[1..1]	OptionType1Code	string	Specifies whether it is a Call option (right to purchase a specific underlying asset) or a Put option (right to sell a specific underlying asset).
1.27	UnderlyingTickerSymbol	UndrlygTckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Identification underlying instrument (Ticker Symbol). Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.28	PremiumUpfrontIndicator	PrmUpfrntInd	[1..1]	YesNoIndicator	boolean	Indicates whether the option on equities have its premium paid upfront or not.
1.29	OpeningPositionLimitDate	OpngPosLmtDt	[1..1]	ISODate	date	Deadline for open positions.
1.30	PureGoldWeight	PureGoldWght	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Quantity that defines the real pure gold weight in each futures contract. As long as only the 250 g contract is traded, the pure gold weight will always be 249,75 g.
1.31	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations

						does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).
--	--	--	--	--	--	---

IndexesOptionInstrumentFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	IndexesOptionInstrument	IndxsOptnInstrm	[1..*]	+		Contains the indexes of option instruments.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.7	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.8	SegmentName	Sgmt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	A Segment represents the first level of market classification in the post trade process. Example: 1 - Equity - Cash 2 - Equity derivatives 3 - Corporate bonds 4 - Agribusiness 5 - Financial 6 - Metal 7 - Energy 8 - Gov. Bonds 9 - FX This field requires an external code list. These codes and values were

						made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalSegmentCode in the file ExternalCodeLists_BVMF.xls.
1.9	MarketName	Mkt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Market represents the Second level of market classification in the post trade process.</p> <p>Example:</p> <ul style="list-style-type: none"> 1 - Spot Market 2 - Futures Market 3 - Options on Spot 4 - Options on Futures 5 - Forward 10 - Cash 12 - Options exercise (call) 13 - Options exercise (put) 17 - Auction 20 - Odd Lot 30 - Equity Forward 70 - Equity Call 80 - Equity Put <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalMarketCode.</p>
1.10	Description	Desc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Description of Security in the Trade Structure system, e.g., Opção sobre ação, Opção sobre índice, Ouro, Futuro de Dolar, Swap Cambial, Rolagem de Soja, FWD Points DOL and so on.
1.11	ExpirationDate	XprtnDt	[1..1]	ISODate	date	This attribute is the maturity date of the instrument.
1.12	ExpirationCode	XprtnCd	[1..1]	Max4Text	string maxLength = 4 minLength = 1	<p>Code of contract expiration.</p> <p>This attribute has two types of format:</p> <p>Format: MYY M = Month Code Y = Year Code</p> <p>Format: MYOA where: M = Month Code Y = Year Code O = Option Code A = Alphanumeric Sequence Code</p>
1.13	TradingStartDate	TradgStartDt	[1..1]	ISODate	date	Start date of the financial instrument trading.
1.14	TradingEndDate	TradgEndDt	[1..1]	ISODate	date	Completion date of the financial instrument trading.
1.15	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix

						representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.16	CFICode	CFICd	[0..1]	Max6Text	string minLength = 1 maxLength = 6	Code that classifies the instrument.
1.17	ContractMultiplier	CtrctMltplr	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Is the ratio between the contract size and the trading reference quantity. For Instance, Cattle is a 330 arrobas contract, but trade price refers to 1 arroba, so the multiplier is 330. Dollar contracts are 50000 USD but the price refers to 1000 USD, so the multiplier is 50. For contracts traded in rate instead of price, this attribute represents the ratio between target points and contract size.
1.18	AssetQuotationQuantity	AsstQtnQty	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Indicates the commodity quantity the trading price is based on. For example: Cattle trading price is based on 1 arroba. Dollar trading price is based on 1000 dollars. This field is filled in with "1" if the instrument is traded at interest rate
1.19	AllocationRoundLot	AllcnRndLot	[0..1]	int	int	Pre-defined lot size for allocation purposes.
1.20	TradingCurrency	TradgCcy	[1..1]	ExternalActiveOrHistoricCurrencyCode	string length = 3	This attribute has the code of the trading currency. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalActiveOrHistoricCurrencyCode ExternalCodeLists_BVMF.xls
1.21	WithdrawalDays	WdrwDays	[1..1]	int	int	Provides the the number of days of withdrawal, considering the date of the trading session until the contract expiration date (inclusive).
1.22	WorkingDays	WrkgDays	[1..1]	int	int	Provides the number of business days, considering the date of the trading session until the date of contract expiration (inclusive).
1.23	CalendarDays	ClnrDays	[1..1]	int	int	Provides the number of calendar days, considering the date of the trading session until the date of contract expiration (inclusive).
1.24	ExercisePrice	ExrcPric	[1..1]	RestrictedFINActiveOrHistoricCurrencyAnd10DecimalAmount	decimal fractionDigits = 10 minInclusive = 0 totalDigits = 25	Preset price at which the holder of a derivative will buy or sell the underlying instrument.
1.25	OptionStyle	OptnStyle	[1..1]	OptionStyle2Code	string	Specifies how an option can be exercised (American, European)
1.26	OptionType	OptnTp	[1..1]	OptionType1Code	string	Specifies whether it is a Call option (right to purchase a specific underlying asset) or a Put option (right to sell a specific underlying asset).

1.27	UnderlyingTickerSymbol	UndrlygTckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Identification underlying instrument (Ticker Symbol). Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.28	PremiumUpfrontIndicator	PrmUpfrntInd	[1..1]	YesNoIndicator	boolean	Indicates whether the option on equities have its premium paid upfront or not.
1.29	OpeningPositionLimitDate	OpngPosLmtDt	[1..1]	ISODate	date	Deadline for open positions.
1.30	PureGoldWeight	PureGoldWght	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Quantity that defines the real pure gold weight in each futures contract. As long as only the 250 g contract is traded, the pure gold weight will always be 249,75 g.
1.31	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

OptionOnEquitiesInstrumentFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	OptionOnEquities	OptnOnEqts	[0..*]	+		This DVA file contains the options on equities.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market

						identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.7	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.8	SegmentName	Sgmt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Segment represents the first level of market classification in the post trade process. Example: 1 - Equity - Cash 2 - Equity derivatives 3 - Corporate bonds 4 - Agribusiness 5 - Financial 6 - Metal 7 - Energy 8 - Gov. Bonds 9 - FX</p> <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalSegmentCode in the file ExternalCodeLists_BVMF.xls.</p>
1.9	MarketName	Mkt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Market represents the Second level of market classification in the post trade process. Example: 1 - Spot Market 2 - Futures Market 3 - Options on Spot 4 - Options on Futures 5 - Forward 10 - Cash 12 - Options exercise (call) 13 - Options exercise (put) 17 - Auction 20 - Odd Lot 30 - Equity Forward 70 - Equity Call 80 - Equity Put</p> <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalMarketCode.</p>
1.10	Description	Desc	[1..1]	Max100Text	string	Description of Security in the Trade Structure system, e.g., Opção

					maxLength = 100 minLength = 0	sobre ação, Opção sobre índice, Ouro, Futuro de Dolar, Swap Cambial, Rolagem de Soja, FWD Points DOL and so on.
1.11	SecurityCategoryName	SctyCtgy	[0..1]	Max50Text	string maxLength = 50 minLength = 1	A Security Category represents the third level of market classification in the post trade process. This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is ExternalSecurityCategoryCode in the file ExternalCodeLists_BVMF.xls
1.12	TradingStartDate	TradgStartDt	[1..1]	ISODate	date	Start date of the financial instrument trading.
1.13	TradingEndDate	TradgEndDt	[1..1]	ISODate	date	Completion date of the financial instrument trading.
1.14	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.15	CFICode	CFICd	[0..1]	Max6Text	string minLength = 1 maxLength = 6	Code that classifies the instrument.
1.16	DeliveryTypeName	DlvryTp	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Identifies the type of delivery at maturity, e.g., Physical Delivery, Financial Delivery. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalDeliveryTypeCode ExternalCodeLists_BVMF.xls
1.17	PaymentTypeName	PmtTp	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Specifies how the transaction is to be settled. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalPaymentTypeCode ExternalCodeLists_BVMF.xls
1.18	AllocationRoundLot	AllcnRndLot	[0..1]	int	int	Pre-defined lot size for allocation purposes.
1.19	TradingCurrency	TradgCcy	[1..1]	ExternalActiveOrHistoricCurrencyCode	string length = 3	This attribute has the code of the trading currency. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalActiveOrHistoricCurrencyCode ExternalCodeLists_BVMF.xls
1.20	DistributionIdentification	Dstrbtnd	[1..1]	int	int	Distribution code of the instrument. Code that identifies the asset version. The pair "ISIN" + "Distribution Identification" is required for instruments that have a depository, such as stocks and gold. There is no distribution for derivatives.
1.21	PriceFactor	PricFctr	[1..1]	int	int	A factor that indicates the number of stocks that make up the price.

						The order price is displayed based on the price factor, e.g., if price factor is 1, the order price refers to 1 stock. If the price factor is 1000, the order price represents the price of 1000 stocks.
1.22	DaysToSettlement	DaysToSttlm	[1..1]	Max4Text	string maxLength = 4 minLength = 1	Indicates the number of days to settlement.
1.23	ExercisePrice	ExrcPric	[1..1]	RestrictedFINActiveOrHistoricCurrencyAnd10DecimalAmount	decimal fractionDigits = 10 minInclusive = 0 totalDigits = 25	Preset price at which the holder of a derivative will buy or sell the underlying instrument.
1.24	OptionStyle	OptnStyle	[0..1]	OptionStyle4Choice		Specifies how an option can be exercised.
1.25	OptionType	OptnTp	[0..1]	OptionType2Choice		Specifies whether it is a Call option (right to purchase a specific underlying asset) or a Put option (right to sell a specific underlying asset).
1.26	UnderlyingInstrumentIdentification	UndrlygInstrmId	[0..1]	char	string	Contains the identification of the underlying instrument.
1.27	PremiumUpfrontIndicator	PrmUpfrntInd	[1..1]	YesNoIndicator	boolean	Indicates whether the option on equities have its premium paid upfront or not.
1.28	SeriesTypeName	SrsTp	[0..1]	Max50Text	string maxLength = 50 minLength = 1	<p>Type of series related to strike price updates. Example: 0 - "Sem correção", 1 - "Correção pela taxa do dolar (não protegida)", 2 - "Correção pela TJLP", 3 - "Correção pela TR", 4 - "Correção pelo IPCR", 5 - "Opções de troca - SWOPTIONS", 6 - "Opções em pontos de índices", 7 - "Correção pela taxa do dolar (protegida)", 8 - "Correção pelo IGP-M - opções protegidas", 9 - "Correção pela URV", 234 - "Correção pelo DISeries"</p> <p>This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalSeriesTypeCode ExternalCodeLists_BVMF.xls.</p>
1.29	TargetInstrumentIdentification	TrgtInstrmId	[0..1]	int	int	Identifies the target instrument.
1.30	ProtectionFlag	PrtnFlg	[1..1]	YesNoIndicator	boolean	Indicates that the option is protected against corporate events. That is, in the case of events, the option price can be adjusted.
1.31	AutomaticExerciseIndicator	AutomtcExrcInd	[1..1]	YesNoIndicator	boolean	Defines whether the option is automatically exercised.
1.32	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	<p>This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated).</p>

						<p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>
--	--	--	--	--	--	--

SwapInstrumentFileV2

ÍNDICE	Campo	Abreviação do Campo	Card.	Tipo de Dado	Detalhe do Tipo de Dado	Descrição
1.0	SwapInstrument	SwplInstrm	[0..*]	+		Contains the swap instruments.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF".(SecurityExchange)
1.6	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.7	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.8	SegmentName	SgmtNm	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Segment represents the first level of market classification in the post trade process. Example: 1 - Equity - Cash 2 - Equity derivatives 3 - Corporate bonds 4 - Agribusiness 5 - Financial 6 - Metal 7 - Energy 8 - Gov. Bonds 9 - FX</p> <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in</p>

						accordance with the requirements of the B3 updates. In this case the external is ExternalSegmentCode in the file ExternalCodeLists_BVMF.xls.
1.9	MarketName	MktNm	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Market represents the Second level of market classification in the post trade process. Example:</p> <ul style="list-style-type: none"> 1 - Spot Market 2 - Futures Market 3 - Options on Spot 4 - Options on Futures 5 - Forward 10 - Cash 12 - Options exercise (call) 13 - Options exercise (put) 17 - Auction 20 - Odd Lot 30 - Equity Forward 70 - Equity Call 80 - Equity Put <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalMarketCode.</p>
1.10	Description	Desc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Description of Security in the Trade Structure system, e.g., Opção sobre ação, Opção sobre índice, Ouro, Futuro de Dolar, Swap Cambial, Rolagem de Soja, FWD Points DOL and so on.
1.11	SecurityCategoryName	SctyCtgyNm	[0..1]	Max50Text	string maxLength = 50 minLength = 1	The instrument category represents the third level of market classification in the post-trade process. This field requires an external code list. These codes and values have been made in external worksheets to enable flexible maintenance according to the B3 upgrade requirements. In this case, the external is ExternalSecurityCategoryCode in the file ExternalCodeLists_BVMF.xls.
1.12	ExpirationDate	XprtnDt	[1..1]	ISODate	date	This attribute contains the instrument's due date.
1.13	ExpirationCode	XprtnCd	[1..1]	Max4Text	string maxLength = 4 minLength = 1	<p>Contract expiration code. This attribute has two formats:</p> <p>Format: MY Y M = Code of the month Y = Year code Format: MYOA at where: M = Code of the month Y = Year code O = Option code A = Alphanumeric sequence code</p>

1.14	TradingStartDate	TradgStartDt	[1..1]	ISODate	date	Start date of the trading of the financial instrument.
1.15	TradingEndDate	TradgEndDt	[1..1]	ISODate	date	Date of conclusion of the negotiation of the financial instrument.
1.16	BaseCode	BaseCd	[0..1]	int	int	<p>Basis for counting days. The number of days in the period of calculating, e.g., 252, 360, 365.</p> <p>Note: This field is used only for conversion from RATE to PRICE. This situation only applies to the following commodities: - DDI - DAP - DDM - DI1 - DIL Note: SCC is traded in RATE but it is not meant to be converted to price.</p>
1.17	ConversionCriteria Name	ConvsCritNm	[0..1]	Max35Text	string maxLength = 35 minLength = 1	<p>Type of criteria of conversion, e.g., linear, exponential, non available.</p> <p>This field is used only for contracts traded in rate and needs to be converted to price. Currently this situation only occurs in the following commodities - DDI - DAP - DDM - DI1 - DIL Note: The foreign exchange swap is traded in rate but is not converted to price.</p> <p>This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalConversionCriteriaTypeCode ExternalCodeLists_BVMF.xls</p>
1.18	MaturityDateTargetPoint	MtrtyDtTrgtPt	[0..1]	int	int	<p>Contract value in points.</p> <p>This field is used along with the Base Code and Conversion Criteria Type to allow conversion from rate to price</p>
1.19	RequiredConversionIndicator	ReqrdConvsInd	[0..1]	YesNoIndicator	boolean	<p>Indicates whether an interest rate contract must be converted to price or not.</p> <p>Currently the only contract in rate that does not need to be converted is the foreign exchange swap. This field will not be filled for contracts traded price.</p>
1.20	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for

						Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.21	CFICode	CFICd	[0..1]	Max6Text	string minLength = 1 maxLength = 6	Code that classifies the instrument.
1.22	DeliveryNoticeStartDate	DlvryNtceStartDt	[0..1]	ISODate	date	Starting date of delivery notice. A notice written by the holder of the short position in a futures contract informing the clearing house of the intent and details of delivering a commodity for settlement.
1.23	DeliveryNoticeEndDate	DlvryNtceEndDt	[0..1]	ISODate	date	Final date for the physical delivery, it is the deadline to deliver the object of the contract. A notice written by the holder of the short position in a futures contract informing the clearing house of the intent and details of delivering a commodity for settlement.
1.24	DeliveryTypeName	DlvryTpNm	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Identifies the type of delivery at maturity, e.g., Physical Delivery, Financial Delivery. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalDeliveryTypeCode ExternalCodeLists_BVMF.xls
1.25	PaymentTypeName	PmtTpNm	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Specifies how the transaction is to be settled. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalPaymentTypeCode ExternalCodeLists_BVMF.xls
1.26	ContractMultiplier	CtrctMltplr	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Is the ratio between the contract size and the trading reference quantity. For Instance, Cattle is a 330 arrobas contract, but trade price refers to 1 arroba, so the multiplier is 330. Dollar contracts are 50000 USD but the price refers to 1000 USD, so the multiplier is 50. For contracts traded in rate instead of price, this attribute represents the ratio between target points and contract size
1.27	AssetQuotationQuantity	AsstQtnQty	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Indicates the commodity quantity the trading price is based on. For example: Cattle trading price is based on 1 arroba. Dollar trading price is based on 1000 dollars. This field is filled in with "1" if the instrument is traded at interest rate
1.28	AllocationRoundLot	AllcnRndLot	[0..1]	int	int	Pre-defined lot size for allocation purposes.

1.29	TradingCurrency	TradgCcy	[1..1]	ExternalActiveOrHistoricCurrencyCode	string length = 3	This attribute has the code of the trading currency. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalActiveOrHistoricCurrencyCode ExternalCodeLists_BVMF.xls
1.30	ValueTypeName	ValTpNm	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Defines the type of value of instrument, e.g., price or rate. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalValueTypeCode ExternalCodeLists_BVMF.xls
1.31	WithdrawalDays	WdrwIDays	[1..1]	int	int	Provides the the number of days of withdrawal, considering the date of the trading session until the contract expiration date (inclusive).
1.32	WorkingDays	WrkgDays	[1..1]	int	int	Provides the number of business days, considering the date of the trading session until the date of contract expiration (inclusive).
1.33	CalendarDays	ClnrDays	[1..1]	int	int	Provides the number of calendar days, considering the date of the trading session until the date of contract expiration (inclusive).
1.34	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

SwapInstrumentFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	SwapInstrument	SwpInstm	[0..*]	+		Contains the swap instruments.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.

1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktIdrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.7	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.8	SegmentName	Sgmt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Segment represents the first level of market classification in the post trade process. Example: 1 - Equity - Cash 2 - Equity derivatives 3 - Corporate bonds 4 - Agribusiness 5 - Financial 6 - Metal 7 - Energy 8 - Gov. Bonds 9 - FX</p> <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalSegmentCode in the file ExternalCodeLists_BVMF.xls.</p>
1.9	MarketName	Mkt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Market represents the Second level of market classification in the post trade process. Example: 1 - Spot Market 2 - Futures Market 3 - Options on Spot 4 - Options on Futures 5 - Forward 10 - Cash 12 - Options exercise (call) 13 - Options exercise (put) 17 - Auction 20 - Odd Lot 30 - Equity Forward</p>

						70 - Equity Call 80 - Equity Put This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external is ExternalMarketCode.
1.10	Description	Desc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Description of Security in the Trade Structure system, e.g., Opção sobre ação, Opção sobre índice, Ouro, Futuro de Dólar, Swap Cambial, Rolagem de Soja, FWD Points DOL and so on.
1.11	TradingStartDate	TradgStartDt	[1..1]	ISODate	date	Start date of the financial instrument trading.
1.12	TradingEndDate	TradgEndDt	[1..1]	ISODate	date	Completion date of the financial instrument trading.
1.13	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nations International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.14	CFICode	CFICd	[1..1]	Max6Text	string minLength = 1 maxLength = 6	Code that classifies the instrument.
1.15	PaymentTypeNam e	PmtTp	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Specifies how the transaction is to be settled. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalPaymentTypeCode ExternalCodeLists_BVMF.xls
1.16	ContractMultiplier	CtrctMltplr	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Is the ratio between the contract size and the trading reference quantity. For Instance, Cattle is a 330 arrobas contract, but trade price refers to 1 arroba, so the multiplier is 330. Dollar contracts are 50000 USD but the price refers to 1000 USD, so the multiplier is 50. For contracts traded in rate instead of price, this attribute represents the ratio between target points and contract size.
1.17	AssetQuotationQua ntity	AsstQtnQty	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Indicates the commodity quantity in which the trading price is based on. For example: Cattle trading price is based on 1 arroba. Dollar trading price is based on 1000 dollars. This field is filled in with "1" if the instrument is traded at interest rate.
1.18	PureGoldWeight	PureGoldWght	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Quantity that defines the real pure gold weight in each futures contract. As long as only the 250 g contract is traded, the pure gold weight will always be 249,75 g.
1.19	AllocationRoundLot	AllcnRndLot	[1..1]	int	int	Pre-defined lot size for allocation purposes.

1.20	TradingCurrency	TradgCcy	[1..1]	ExternalActiveOrHistoricCurrencyCode	string length = 3	This attribute has the code of the trading currency. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the B3 updates. In this case the external file is in ExternalActiveOrHistoricCurrencyCode ExternalCodeLists_BVMF.xls
1.21	DataStatus	DataSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

SettlementPriceFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	AdjmentPrice	AdjtPric	[0..*]	+		Contains reference prices data.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security

						number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	ExpirationDate	XprtnDt	[1..1]	ISODate	date	This attribute is the maturity date of the instrument.
1.8	AdjustedQuote	AdjstdQt	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Adjusted quote.
1.9	AdjustedQuoteTax	AdjstdQtTax	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Adjusted quote.
1.10	AdjustedQuoteSituation	AdjstdQtStin	[1..1]	Max1Text	string maxLength = 1 minLength = 1	Adjusted quote situation.
1.11	PreviousAdjustedQuote	PrvsAdjstdQt	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Previous day's session adjusted quote.
1.12	PreviousAdjustedQuoteTax	PrvsAdjstdQtTax	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Previous day's session adjusted quote.
1.13	PreviousAdjustedQuoteSituation	PrvsAdjstdQtStin	[0..1]	Max1Text	string maxLength = 1 minLength = 1	Previous day's session adjusted quote situation.
1.14	VariationPoints	VartnPts	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Variation in points.
1.15	EquivalentValue	EqvtVal	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Equivalence value.
1.16	AdjustedValueContract	AdjstdValCtrct	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Adjusted value per contract in BRL.
1.17	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

SettlementPriceSwapFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	AdjmentPrice	AdjtPric	[0..*]	+		Contains reference data for Swap contract prices..
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	ExpirationDate	XprtnDt	[1..1]	ISODate	date	This attribute is the maturity date of the instrument.
1.8	AdjustedQuote	AdjstdQt	[0..1]	RestrictedBVMFAc tiveOrHistoricCurren cyAnd12DecimalA mount	decimal totalDigits = 28 fractionDigits = 12	Adjusted quote.
1.9	AdjustedQuoteTax	AdjstdQtTax	[0..1]	RestrictedBVMFAc tiveOrHistoricCurren cyAnd12DecimalA mount	decimal totalDigits = 28 fractionDigits = 12	Adjusted quote.
1.10	AdjustedQuoteSituation	AdjstdQtStin	[0..1]	Max1Text	string maxLength = 1 minLength = 1	Adjusted quote situation.
1.11	PreviousAdjustedQuote	PrvsAdjstdQt	[0..1]	RestrictedBVMFAc tiveOrHistoricCurren cyAnd12DecimalA mount	decimal totalDigits = 28 fractionDigits = 12	Previous day's session adjusted quote.
1.12	PreviousAdjustedQuoteTax	PrvsAdjstdQtTax	[0..1]	RestrictedBVMFAc tiveOrHistoricCurren cyAnd12DecimalA mount	decimal totalDigits = 28 fractionDigits = 12	Previous day's session adjusted quote.
1.13	PreviousAdjustedQuoteSituation	PrvsAdjstdQtStin	[0..1]	Max1Text	string maxLength = 1 minLength = 1	Previous day's session adjusted quote situation.

1.14	VariationPoints	VartnPts	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Variation in points.
1.15	EquivalentValue	EqvtVal	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Equivalence value.
1.16	AdjustedValueContract	AdjstdValCtrct	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Adjusted value per contract in BRL.
1.17	MarketValue	MktVal	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Price calculated from the adjustment rate of the swap futures contract.
1.18	SwapDiscountFactor	SwpDscntFctr	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Factor calculated based on time and rate futures contract Foreign Exchange Swap, to bring the present value of the contract base value.
1.19	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

IndexesSettlementPriceFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	IndexesSettlementPrice	IndxsSttlmPric	[0..*]	+		Contains the settlement prices indexes.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market

						identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	ExpirationDate	XprtnDt	[1..1]	ISODate	date	This attribute is the maturity date of the instrument.
1.8	AdjustedQuote	AdjstdQt	[0..1]	RestrictedBVMFAc tiveOrHistoricCurren cyAnd12DecimalA mount	decimal totalDigits = 28 fractionDigits = 12	Adjusted quote.
1.9	AdjustedQuoteTax	AdjstdQtTax	[0..1]	RestrictedBVMFAc tiveOrHistoricCurren cyAnd12DecimalA mount	decimal totalDigits = 28 fractionDigits = 12	Adjusted quote.
1.10	AdjustedQuoteSitua tion	AdjstdQtStin	[0..1]	Max1Text	string maxLength = 1 minLength = 1	Adjusted quote situation.
1.11	PreviousAdjustedQ uote	PrvsAdjstdQt	[0..1]	RestrictedBVMFAc tiveOrHistoricCurren cyAnd12DecimalA mount	decimal totalDigits = 28 fractionDigits = 12	Previous day's session adjusted quote.
1.12	PreviousAdjustedQ uoteTax	PrvsAdjstdQtTax	[0..1]	RestrictedBVMFAc tiveOrHistoricCurren cyAnd12DecimalA mount	decimal totalDigits = 28 fractionDigits = 12	Previous day's session adjusted quote.
1.13	PreviousAdjustedQ uoteSituation	PrvsAdjstdQtStin	[0..1]	Max1Text	string maxLength = 1 minLength = 1	Previous day's session adjusted quote situation.
1.14	VariationPoints	VartnPts	[0..1]	RestrictedBVMFAc tiveOrHistoricCurren cyAnd12DecimalA mount	decimal totalDigits = 28 fractionDigits = 12	Variation in points.
1.15	EquivalentValue	EqvtVal	[0..1]	RestrictedBVMFAc tiveOrHistoricCurren cyAnd12DecimalA mount	decimal totalDigits = 28 fractionDigits = 12	Equivalence value.
1.16	AdjustedValueContr act	AdjstdValCtrct	[0..1]	RestrictedBVMFAc tiveOrHistoricCurren cyAnd12DecimalA mount	decimal totalDigits = 28 fractionDigits = 12	Adjusted value per contract in BRL.
1.17	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status.

						<p>U = Updated (the line already existed in the previous publication but was updated).</p> <p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>
--	--	--	--	--	--	---

EconomicIndicatorPriceFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	EconomicIndicatorPrice	EcncIndPric	[0..*]	+		Contains the economic indicator prices.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	EconomicIndicatorDescription	EcncIndDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Description of the economic indicator.
1.7	DecimalPrecision	DcmIPrcsn	[1..1]	int	int	Quantity of decimal places used for price calculation or for publication purposes. This field must be filled when the information of the message refers to Pricing Curves.
1.8	PriceValue	PricVal	[1..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd20Decim alAmount	decimal fractionDigits = 20 totalDigits = 28	Price value of the economic indicator.
1.9	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	<p>This field shows the updating data of a particular record. The valid states are:</p> <p>I = Included (the line does not exist in the previous line). The first publications of the day has this status.</p> <p>U = Updated (the line already existed in the previous publication but was updated).</p> <p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the</p>

						<p>information does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>
--	--	--	--	--	--	--

ReferencePriceFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	ReferencePriceInformation	RefPricInf	[0..*]	+		Contains information about the instruments' reference prices
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numericSingle numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	Asset	Asst	[0..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, etc.
1.8	ExpirationCode	XprtnCd	[1..1]	Max4Text	string maxLength = 4 minLength = 1	Expiration code of a Futures or an Option contract. E.g: If Futures: MYYY: M : Month Code YY: Year Code (Two last digits of year) If Option: MYOA: M: Month Code, Y: Year Code, O: Option Type A: Alphanumeric Sequence
1.9	OptionStyle	OptnStyle	[1..1]	OptionStyle2Code	string	Specifies how an option can be exercised (American, European)
1.10	OptionType	OptnTp	[1..1]	OptionType1Code	string	Specifies whether it is a Call option (right to purchase a specific underlying asset) or a Put option (right to sell a specific underlying

						asset).
1.11	ExpirationDate	XprtnDt	[0..1]	ISODate	date	Contract expiration date. Attribute types used in the following positions: - Swap Positions - NDF Positions - Flexible Options Positions
1.12	UnderlyingInstrument	UndrlygInstrm	[0..1]	Max12Text	string maxLength = 12 minLength = 1	Underlying Security Identifier International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country. Note: This field is required only when the file is about Stock Reference Price
1.13	ExercisePrice	ExrcPric	[1..1]	RestrictedFINActiveOrHistoricCurrencyAnd10DecimalAmount	decimal fractionDigits = 10 minInclusive = 0 totalDigits = 25	Preset price at which the holder of a derivatives will buy or sell the underlying instrument.
1.14	ReferencePrice	RefPric	[1..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd2DecimalAmount	decimal totalDigits = 20 fractionDigits = 2	Provides reference price.
1.15	VolatilityValue	VoltlyVal	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Volatility value. Note: This field is required only when the file is about Stock Reference Price.
1.16	DeltaValue	DltaVal	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd7DecimalAmount	decimal fractionDigits = 10 minInclusive = 0 totalDigits = 25	Delta value.
1.17	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

IndexesReferencePriceFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	IndexesReferencePrice	IndxsRefPric	[0..*]	+		Contains instruments of indexes reference prices.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktIdrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	Asset	Asst	[0..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc
1.8	ReferencePrice	RefPric	[1..1]	RestrictedBVMF5ActiveOrHistoricCurrencyAnd2DecimalAmount	decimal totalDigits = 20 fractionDigits = 2	Provides reference price.
1.9	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

StructuredOperationAdjustmentPriceFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	StructuredOperationAdjustmentPrice	StrdOprnAdjstmntPric	[0..*]	+		Contains the settlement prices of structured operation.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	Sctyld	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	ExpirationDate	XprtnDt	[1..1]	ISODate	date	This attribute is the maturity date of the instrument.
1.8	AdjustedQuote	AdjstdQt	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12 DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Adjusted quote.
1.9	AdjustedQuoteTax	AdjstdQtTax	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12 DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Adjusted quote.
1.10	AdjustedQuoteSituation	AdjstdQtStin	[0..1]	Max1Text	string maxLength = 1 minLength = 1	Adjusted quote situation.
1.11	PreviousAdjustedQuote	PrvsAdjstdQt	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12 DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Previous day's session adjusted quote.
1.12	PreviousAdjustedQuoteTax	PrvsAdjstdQtTax	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12 DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Previous day's session adjusted quote.
1.13	PreviousAdjustedQuoteSituation	PrvsAdjstdQtStin	[0..1]	Max1Text	string maxLength = 1	Previous day's session adjusted quote situation.

					minLength = 1	
1.14	VariationPoints	VartnPts	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12 DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Variation in points.
1.15	EquivalentValue	EqvtVal	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12 DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Equivalence value.
1.16	AdjustedValueContract	AdjstdValCtct	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12 DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Adjusted value per contract in BRL.
1.17	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

ETFTradeFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	ETFTrade	ETFTrad	[0..*]	+		Equity – EFT.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)

1.6	FirstPrice	FrstPric	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12 DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Opening price of the day.
1.7	MinimumPrice	MinPric	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12 DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum price.
1.8	MaximumPrice	MaxPric	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12 DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum price.
1.9	LastPrice	LastPric	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12 DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Closing price of the day.
1.10	OscillationPercentage	OscnPctg	[0..1]	RestrictedBVMF ActiveAnd2Deci malQuantity	decimal totalDigits = 10 fractionDigits = 2	Rate of oscillation.
1.11	IndexValue	IndxVal	[1..1]	RestrictedBVMF 5ActiveOrHistori cCurrencyAnd2 DecimalAmount	decimal totalDigits = 20 fractionDigits = 2	Index value.
1.12	TradeAveragePrice	TradAvrgPric	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12 DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Trade average price.
1.13	PreviousDayClosingPrice	PrvsDayClsgPric	[1..1]	RestrictedBVMF 5ActiveOrHistori cCurrencyAnd2 DecimalAmount	decimal totalDigits = 20 fractionDigits = 2	Previous day closing price.
1.14	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	<p>This field shows the updating data of a particular record. The valid states are:</p> <p>I = Included (the line does not exist in the previous line). The first publications of the day has this status.</p> <p>U = Updated (the line already existed in the previous publication but was updated).</p> <p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>

TradeInformationFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	TradeInformation	TradInf	[0..*]	+		Contains trade information.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numericSingle numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	FirstPrice	FrstPric	[1..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Opening price of the day.
1.8	MinimumPrice	MinPric	[1..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum price.
1.9	MaximumPrice	MaxPric	[1..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum price.
1.10	TradeAveragePrice	TradAvrgPric	[1..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Trade average price.
1.11	LastPrice	LastPric	[1..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Closing price of the day.
1.12	OscillationPercentage	OscnPctg	[1..1]	RestrictedBVMF ActiveAnd2Deci	decimal totalDigits = 10	Rate of oscillation.

				malQuantity	fractionDigits = 2	
1.13	TradeQuantity	TradQty	[1..1]	RestrictedBVMF2 ActiveAnd0Deci malQuantity	decimal fractionDigits = 0 totalDigits = 28	Trade quantity.
1.14	MarketDataStreamI dentification	MktDataStrmId	[1..1]	ExternalMarketD ataStreamIdenti ficationCode	string	The identifier or name of the price stream.
1.15	NationalFinancialVo lume	NtlFinVol	[1..1]	RestrictedBVMF4 ActiveOrHistoric CurrencyAnd8De cimalAmount	decimal fractionDigits = 8 totalDigits = 28	Financial volume traded on the day (BRL).
1.16	InternationalFinanci alVolume	IntlFinVol	[1..1]	RestrictedBVMF4 ActiveOrHistoric CurrencyAnd8De cimalAmount	decimal fractionDigits = 8 totalDigits = 28	Financial volume traded on the day (USD).
1.17	FinancialInstrument Quantity	FinInstrmQty	[1..1]	RestrictedBVMF ActiveAnd8Deci malQuantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of financial instruments traded.
1.18	BestBidPrice	BestBidPric	[1..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Best bid price.
1.19	BestAskPrice	BestAskPric	[1..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Best ask price.
1.20	RegularTransaction sQuantity	RglrTxQty	[1..1]	RestrictedBVMF2 ActiveAnd0Deci malQuantity	decimal fractionDigits = 0 totalDigits = 28	Regular number of transactions.
1.21	NationalRegularVol ume	NtlRglrVol	[1..1]	RestrictedBVMF4 ActiveOrHistoric CurrencyAnd8De cimalAmount	decimal fractionDigits = 8 totalDigits = 28	Regular traded volume (BRL) - After Market.
1.22	InternationalRegula rVolume	IntlRglrVol	[1..1]	RestrictedBVMF4 ActiveOrHistoric CurrencyAnd8De cimalAmount	decimal fractionDigits = 8 totalDigits = 28	Regular traded volume (UDS) - After Market.
1.23	MaximumTradeLimi t	MaxTradLmt	[1..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum trade limit.
1.24	MinimumTradeLimit	MinTradLmt	[1..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum trade limit.
1.25	OpenInterest	OpnIntrst	[1..1]	RestrictedBVMF ActiveAnd8Deci malQuantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of open contracts.
1.26	NonRegularTransac tionsQuantity	NonRglrTxQty	[0..1]	RestrictedBVMF2 ActiveAnd0Deci	decimal fractionDigits = 0	Non regular number of transactions.

				malQuantity	totalDigits = 28	
1.27	RegularTradedContracts	RglrTraddCtrcts	[1..1]	RestrictedBVMF ActiveAnd8DecimalQuantity	decimal totalDigits = 28 fractionDigits = 8	Regular traded contracts.
1.28	NonRegularTradedContracts	NonRglrTraddCtrcts	[0..1]	RestrictedBVMF ActiveAnd8DecimalQuantity	decimal totalDigits = 28 fractionDigits = 8	Non regular traded contracts.
1.29	NationalNonRegularVolume	NtlNonRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoric CurrencyAnd8DecimalAmount	decimal fractionDigits = 8 totalDigits = 28	Non regular traded volume (BRL) - After Market.
1.30	InternationalNonRegularVolume	IntlNonRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoric CurrencyAnd8DecimalAmount	decimal fractionDigits = 8 totalDigits = 28	Non regular traded volume (USD) - After Market.
1.31	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

TradeInformationAfterHoursFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	TradeInformation	TradInf	[0..*]	+		Contains trade information.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numericSingle numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)

1.6	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	FirstPrice	FrstPric	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Opening price of the day.
1.8	MinimumPrice	MinPric	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum price.
1.9	MaximumPrice	MaxPric	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum price.
1.10	TradeAveragePrice	TradAvrgPric	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Trade average price.
1.11	LastPrice	LastPric	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Closing price of the day.
1.12	OscillationPercentage	OscnPctg	[0..1]	RestrictedBVMF ActiveAnd2Deci malQuantity	decimal totalDigits = 10 fractionDigits = 2	Rate of oscillation.
1.13	TradeQuantity	TradQty	[0..1]	RestrictedBVMF2 ActiveAnd0Deci malQuantity	decimal fractionDigits = 0 totalDigits = 28	Trade quantity.
1.14	MarketDataStreamIdentification	MktDataStrmId	[0..1]	ExternalMarketD ataStreamIdentifi cationCode	string	The identifier or name of the price stream.
1.15	NationalFinancialVolume	NtlFinVol	[0..1]	RestrictedBVMF4 ActiveOrHistoric CurrencyAnd8De cimalAmount	decimal fractionDigits = 8 totalDigits = 28	Financial volume traded on the day (BRL).
1.16	InternationalFinancialVolume	IntlFinVol	[0..1]	RestrictedBVMF4 ActiveOrHistoric CurrencyAnd8De cimalAmount	decimal fractionDigits = 8 totalDigits = 28	Financial volume traded on the day (USD).
1.17	FinancialInstrumentQuantity	FinInstrmQty	[0..1]	RestrictedBVMF ActiveAnd8Deci malQuantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of financial instruments traded.
1.18	BestBidPrice	BestBidPric	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D	decimal totalDigits = 28 fractionDigits = 12	Best bid price.

				ecimalAmount		
1.19	BestAskPrice	BestAskPric	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Best ask price.
1.20	RegularTransaction sQuantity	RglrTxQty	[0..1]	RestrictedBVMF2 ActiveAnd0Deci malQuantity	decimal fractionDigits = 0 totalDigits = 28	Regular number of transactions.
1.21	NationalRegularVol ume	NtlRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoric CurrencyAnd8De cimalAmount	decimal fractionDigits = 8 totalDigits = 28	Regular traded volume (BRL) - After Market.
1.22	InternationalRegula rVolume	IntlRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoric CurrencyAnd8De cimalAmount	decimal fractionDigits = 8 totalDigits = 28	Regular traded volume (UDS) - After Market.
1.23	MaximumTradeLimi t	MaxTradLmt	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum trade limit.
1.24	MinimumTradeLimit	MinTradLmt	[0..1]	RestrictedBVMF ActiveOrHistoric CurrencyAnd12D ecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum trade limit.
1.25	OpenInterest	OpnIntrst	[0..1]	RestrictedBVMF ActiveAnd8Deci malQuantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of open contracts.
1.26	NonRegularTransac tionsQuantity	NonRglrTxQty	[0..1]	RestrictedBVMF2 ActiveAnd0Deci malQuantity	decimal fractionDigits = 0 totalDigits = 28	Non regular number of transactions.
1.27	RegularTradedCont racts	RglrTraddCtrcts	[0..1]	RestrictedBVMF ActiveAnd8Deci malQuantity	decimal totalDigits = 28 fractionDigits = 8	Regular traded contracts.
1.28	NonRegularTraded Contracts	NonRglrTraddCtrcts	[0..1]	RestrictedBVMF ActiveAnd8Deci malQuantity	decimal totalDigits = 28 fractionDigits = 8	Non regular traded contracts.
1.29	NationalNonRegula rVolume	NtlNonRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoric CurrencyAnd8De cimalAmount	decimal fractionDigits = 8 totalDigits = 28	Non regular traded volume (BRL) - After Market.
1.30	InternationalNonRe gularVolume	IntlNonRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoric CurrencyAnd8De cimalAmount	decimal fractionDigits = 8 totalDigits = 28	Non regular traded volume (USD) - After Market.
1.31	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but

						<p>was updated).</p> <p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>
--	--	--	--	--	--	---

IndexesTradeInformationFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	IndexesTradeInformation	IndxsTradInf	[0..*]	+		Contains trade information.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numericSingle numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktIdrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	FirstPrice	FrstPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Opening price of the day.
1.8	MinimumPrice	MinPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim	decimal totalDigits = 28 fractionDigits = 12	Minimum price.

				alAmount		
1.9	MaximumPrice	MaxPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum price.
1.10	TradeAveragePrice	TradAvrgPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Trade average price.
1.11	LastPrice	LastPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Closing price of the day.
1.12	OscillationPercenta ge	OscnPctg	[0..1]	RestrictedBVMFA ctiveAnd2Decimal Quantity	decimal totalDigits = 10 fractionDigits = 2	Rate of oscillation.
1.13	TradeQuantity	TradQty	[0..1]	RestrictedBVMF2 ActiveAnd0Decim alQuantity	decimal fractionDigits = 0 totalDigits = 28	Trade quantity.
1.14	MarketDataStreamI dentification	MktDataStrmId	[0..1]	ExternalMarketDat aStreamIdentificati onCode	string	The identifier or name of the price stream.
1.15	NationalFinancialVo lume	NtlFinVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Deci malAmount	decimal fractionDigits = 8 totalDigits = 28	Financial volume traded on the day (BRL).
1.16	InternationalFinanci alVolume	IntlFinVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Deci malAmount	decimal fractionDigits = 8 totalDigits = 28	Financial volume traded on the day (USD).
1.17	FinancialInstrument Quantity	FinInstrmQty	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of financial instruments traded.
1.18	BestBidPrice	BestBidPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Best bid price.
1.19	BestAskPrice	BestAskPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Best ask price.
1.20	RegularTransaction sQuantity	RglrTxQty	[0..1]	RestrictedBVMF2 ActiveAnd0Decim alQuantity	decimal fractionDigits = 0 totalDigits = 28	Regular number of transactions.
1.21	NationalRegularVol ume	NtlRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Deci malAmount	decimal fractionDigits = 8 totalDigits = 28	Regular traded volume (BRL) - After Market.
1.22	InternationalRegula rVolume	IntlRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC	decimal fractionDigits = 8	Regular traded volume (UDS) - After Market.

				urrencyAnd8DecimalAmount	totalDigits = 28	
1.23	MaximumTradeLimit	MaxTradLmt	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum trade limit.
1.24	MinimumTradeLimit	MinTradLmt	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum trade limit.
1.25	OpenInterest	OpnIntrst	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of open contracts.
1.26	NonRegularTransactionsQuantity	NonRglrTxQty	[0..1]	RestrictedBVMF2 ActiveAnd0Decim alQuantity	decimal fractionDigits = 0 totalDigits = 28	Non regular number of transactions.
1.27	RegularTradedContracts	RglrTraddCtrcts	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Regular traded contracts.
1.28	NonRegularTradedContracts	NonRglrTraddCtrcts	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Non regular traded contracts.
1.29	NationalNonRegularVolume	NtlNonRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Decim alAmount	decimal fractionDigits = 8 totalDigits = 28	Non regular traded volume (BRL) - After Market.
1.30	InternationalNonRegularVolume	IntlNonRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Decim alAmount	decimal fractionDigits = 8 totalDigits = 28	Non regular traded volume (USD) - After Market.
1.31	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	<p>This field shows the updating data of a particular record. The valid states are:</p> <p>I = Included (the line does not exist in the previous line). The first publications of the day has this status.</p> <p>U = Updated (the line already existed in the previous publication but was updated).</p> <p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>

TradeInformationIndexFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	TradeInformationIndex	TradInfIdx	[0..*]	+		Trade Information Index
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.

1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numericSingle numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.7	FirstPrice	FrstPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Opening price of the day.
1.8	MinimumPrice	MinPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum price.
1.9	MaximumPrice	MaxPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum price.
1.10	TradeAveragePrice	TradAvrgPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Trade average price.
1.11	PreviousDayClosing Price	PrvsDayClsgPric	[1..1]	RestrictedBVMF5 ActiveOrHistoricC urrencyAnd2Deci malAmount	decimal totalDigits = 20 fractionDigits = 2	Previous Day Closing Price.
1.12	LastPrice	LastPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Closing price of the day.
1.13	OscillationPercenta ge	OscnPctg	[0..1]	RestrictedBVMFA ctiveAnd2Decimal Quantity	decimal totalDigits = 10 fractionDigits = 2	Rate of oscillation.
1.14	IndexValue	IndxVal	[1..1]	RestrictedBVMF5 ActiveOrHistoricC urrencyAnd2Deci malAmount	decimal totalDigits = 20 fractionDigits = 2	Index Value.
1.15	SettlementValue	SttlmVal	[0..1]	RestrictedBVMF2	decimal	Value to be settled.

				ActiveOrHistoricCurrencyAnd4DecimalAmount	fractionDigits = 4 totalDigits = 19	
1.16	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	<p>This field shows the updating data of a particular record. The valid states are:</p> <p>I = Included (the line does not exist in the previous line). The first publications of the day has this status.</p> <p>U = Updated (the line already existed in the previous publication but was updated).</p> <p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>

ForwardTradeInformationFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	ForwardTradeInformation	FwdTradInf	[0..*]	+		Forward Trade Information
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	DaysToSettlement	DaysToSttlm	[1..1]	Max4Text	String 4	Indicates the number of days to settlement.
1.8	FirstPrice	FrstPric	[0..1]	RestrictedBVMFA ActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Opening price of the day.

1.9	MinimumPrice	MinPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum price.
1.10	MaximumPrice	MaxPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum price.
1.11	TradeAveragePrice	TradAvrgPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Trade average price.
1.12	LastPrice	LastPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Closing price of the day.
1.13	OscillationPercenta ge	OscnPctg	[0..1]	RestrictedBVMFA ctiveAnd2Decimal Quantity	decimal totalDigits = 10 fractionDigits = 2	Rate of oscillation.
1.14	TradeQuantity	TradQty	[0..1]	RestrictedBVMF2 ActiveAnd0Decim alQuantity	decimal fractionDigits = 0 totalDigits = 28	Trade quantity.
1.15	MarketDataStreamI dentification	MktDataStrmId	[0..1]	ExternalMarketDat aStreamIdentificati onCode	string	The identifier or name of the price stream.
1.16	NationalFinancialVo lume	NtlFinVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Deci malAmount	decimal fractionDigits = 8 totalDigits = 28	Financial volume traded (BRL).
1.17	InternationalFinanci alVolume	IntlFinVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Deci malAmount	decimal fractionDigits = 8 totalDigits = 28	Financial volume traded (USD).
1.18	FinancialInstrument Quantity	FinInstrmQty	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of financial instruments traded.
1.19	BestBidPrice	BestBidPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Best bid price.
1.20	BestAskPrice	BestAskPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Best ask price.
1.21	RegularTransaction sQuantity	RglrTxQty	[0..1]	RestrictedBVMF2 ActiveAnd0Decim alQuantity	decimal fractionDigits = 0 totalDigits = 28	Regular number of transactions.
1.22	NationalRegularVol ume	NtlRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Deci	decimal fractionDigits = 8 totalDigits = 28	Regular traded volume (BRL) - After Market.

				malAmount		
1.23	InternationalRegularVolume	IntlRglrVol	[0..1]	RestrictedBVMF4ActiveOrHistoricCurrencyAnd8DecimalAmount	decimal fractionDigits = 8 totalDigits = 28	Regular traded volume (USD) - After Market.
1.24	MaximumTradeLimit	MaxTradLmt	[0..1]	RestrictedBVMF4ActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum trade limit.
1.25	MinimumTradeLimit	MinTradLmt	[0..1]	RestrictedBVMF4ActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum trade limit.
1.26	OpenInterest	OpnIntrst	[0..1]	RestrictedBVMF4ActiveAnd8DecimalQuantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of open contracts.
1.27	NonRegularTransactionsQuantity	NonRglrTxQty	[0..1]	RestrictedBVMF2ActiveAnd0DecimalQuantity	decimal fractionDigits = 0 totalDigits = 28	Non regular number of transactions.
1.28	RegularTradedContracts	RglrTraddCtrcts	[0..1]	RestrictedBVMF4ActiveAnd8DecimalQuantity	decimal totalDigits = 28 fractionDigits = 8	Regular traded contracts.
1.29	NonRegularTradedContracts	NonRglrTraddCtrcts	[0..1]	RestrictedBVMF4ActiveAnd8DecimalQuantity	decimal totalDigits = 28 fractionDigits = 8	Non regular traded contracts.
1.30	NationalNonRegularVolume	NtlNonRglrVol	[0..1]	RestrictedBVMF4ActiveOrHistoricCurrencyAnd8DecimalAmount	decimal fractionDigits = 8 totalDigits = 28	Non regular traded volume (BRL) - After Market.
1.31	InternationalNonRegularVolume	IntlNonRglrVol	[0..1]	RestrictedBVMF4ActiveOrHistoricCurrencyAnd8DecimalAmount	decimal fractionDigits = 8 totalDigits = 28	Non regular traded volume (USD) - After Market.
1.32	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

EODPriceFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
-------	--------------	-----	-------	-----------	-------------------	-------------

1.0	EODPrice	EODPric	[0..*]	+		End of Day Price
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	FirstPrice	FrstPric	[1..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Opening price of the day.
1.8	MinimumPrice	MinPric	[1..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum price.
1.9	MaximumPrice	MaxPric	[1..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum price.
1.10	TradeAveragePrice	TradAvrgPric	[1..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Trade average price.
1.11	LastPrice	LastPric	[1..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Closing price of the day.
1.12	OscillationPercentage	OscnPctg	[1..1]	RestrictedBVMFA ctiveAnd2Decimal Quantity	decimal totalDigits = 10 fractionDigits = 2	Rate of oscillation.
1.13	TradeQuantity	TradQty	[1..1]	RestrictedBVMF2 ActiveAnd0Decim alQuantity	decimal fractionDigits = 0 totalDigits = 28	Trade quantity.

1.14	MarketDataStreamIdentification	MktDataStrmId	[1..1]	ExternalMarketDataStreamIdentificationCode	string	The identifier or name of the price stream.
1.15	NationalFinancialVolume	NtlFinVol	[1..1]	RestrictedBVMF4ActiveOrHistoricCurrencyAnd8DecimalAmount	decimal fractionDigits = 8 totalDigits = 28	Financial volume traded (BRL).
1.16	InternationalFinancialVolume	IntlFinVol	[1..1]	RestrictedBVMF4ActiveOrHistoricCurrencyAnd8DecimalAmount	decimal fractionDigits = 8 totalDigits = 28	Financial volume traded (USD).
1.17	FinancialInstrumentQuantity	FinInstrmQty	[1..1]	RestrictedBVMFAActiveAnd8DecimalQuantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of financial instruments traded.
1.18	BestBidPrice	BestBidPric	[1..1]	RestrictedBVMFAActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Best bid price.
1.19	BestAskPrice	BestAskPric	[1..1]	RestrictedBVMFAActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Best ask price.
1.20	RegularTransactionsQuantity	RglrTxQty	[1..1]	RestrictedBVMF2ActiveAnd0DecimalQuantity	decimal fractionDigits = 0 totalDigits = 28	Regular number of transactions.
1.21	NationalRegularVolume	NtlRglrVol	[1..1]	RestrictedBVMF4ActiveOrHistoricCurrencyAnd8DecimalAmount	decimal fractionDigits = 8 totalDigits = 28	Traded volume (BRL) - After Market.
1.22	InternationalRegularVolume	IntlRglrVol	[1..1]	RestrictedBVMF4ActiveOrHistoricCurrencyAnd8DecimalAmount	decimal fractionDigits = 8 totalDigits = 28	Traded volume (USD) - After Market.
1.23	MaximumTradeLimit	MaxTradLmt	[1..1]	RestrictedBVMFAActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum trade limit.
1.24	MinimumTradeLimit	MinTradLmt	[1..1]	RestrictedBVMFAActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum trade limit.
1.25	OpenInterest	OpnIntrst	[1..1]	RestrictedBVMFAActiveAnd8DecimalQuantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of open contracts.
1.26	NonRegularTransactionsQuantity	NonRglrTxQty	[0..1]	RestrictedBVMF2ActiveAnd0DecimalQuantity	decimal fractionDigits = 0 totalDigits = 28	Non regular number of transactions.
1.27	RegularTradedContracts	RglrTraddCtrcts	[1..1]	RestrictedBVMFAActiveAnd8DecimalQuantity	decimal totalDigits = 28 fractionDigits = 8	Regular traded contracts.

1.28	NonRegularTraded Contracts	NonRglrTraddCtrcts	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Non regular traded contracts.
1.29	NationalNonRegular Volume	NtlNonRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Deci malAmount	decimal fractionDigits = 8 totalDigits = 28	Non regular traded volume (BRL) - After Market.
1.30	InternationalNonRe gularVolume	IntlNonRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Deci malAmount	decimal fractionDigits = 8 totalDigits = 28	Non regular traded volume (USD) - After Market.
1.31	DataStatus	DataSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

IndexesEODPriceFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	IndexesEODPriceFile	IndxsEODPricFile	[0..*]	+		End of Day Price Indexes.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security

						number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	FirstPrice	FrstPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Opening price of the day.
1.8	MinimumPrice	MinPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum price.
1.9	MaximumPrice	MaxPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum price.
1.10	TradeAveragePrice	TradAvrgPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Trade average price.
1.11	LastPrice	LastPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Closing price of the day.
1.12	OscillationPercenta ge	OscnPctg	[0..1]	RestrictedBVMFA ctiveAnd2Decimal Quantity	decimal totalDigits = 10 fractionDigits = 2	Rate of oscillation.
1.13	TradeQuantity	TradQty	[0..1]	RestrictedBVMF2 ActiveAnd0Decim alQuantity	decimal fractionDigits = 0 totalDigits = 28	Trade quantity.
1.14	MarketDataStreamI dentification	MktDataStrmId	[0..1]	ExternalMarketDat aStreamIdentificati onCode	string	The identifier or name of the price stream.
1.15	NationalFinancialVo lume	NtlFinVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Decim alAmount	decimal fractionDigits = 8 totalDigits = 28	Financial volume traded (BRL).
1.16	InternationalFinanci alVolume	IntlFinVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Decim alAmount	decimal fractionDigits = 8 totalDigits = 28	Financial volume traded (USD).
1.17	FinancialInstrument Quantity	FinInstrmQty	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of financial instruments traded.
1.18	BestBidPrice	BestBidPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Best bid price.
1.19	BestAskPrice	BestAskPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim	decimal totalDigits = 28 fractionDigits = 12	Best ask price.

				alAmount		
1.20	RegularTransaction sQuantity	RglrTxQty	[0..1]	RestrictedBVMF2 ActiveAnd0Decim alQuantity	decimal fractionDigits = 0 totalDigits = 28	Regular number of transactions.
1.21	NationalRegularVol ume	NtlRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Decim alAmount	decimal fractionDigits = 8 totalDigits = 28	Traded volume (BRL) - After Market.
1.22	InternationalRegular Volume	IntlRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Decim alAmount	decimal fractionDigits = 8 totalDigits = 28	Traded volume (USD) - After Market.
1.23	MaximumTradeLimi t	MaxTradLmt	[0..1]	RestrictedBVMFA ctiveOrHistoricCur urrencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Maximum trade limit.
1.24	MinimumTradeLimit	MinTradLmt	[0..1]	RestrictedBVMFA ctiveOrHistoricCur urrencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Minimum trade limit.
1.25	OpenInterest	OpnIntrst	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of open contracts.
1.26	NonRegularTransac tionsQuantity	NonRglrTxQty	[0..1]	RestrictedBVMF2 ActiveAnd0Decim alQuantity	decimal fractionDigits = 0 totalDigits = 28	Non regular number of transactions.
1.27	RegularTradedCont racts	RglrTraddCtrcts	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Regular traded contracts.
1.28	NonRegularTraded Contracts	NonRglrTraddCtrcts	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Non regular traded contracts.
1.29	NationalNonRegular Volume	NtlNonRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Decim alAmount	decimal fractionDigits = 8 totalDigits = 28	Non regular traded volume (BRL) - After Market.
1.30	InternationalNonRe gularVolume	IntlNonRglrVol	[0..1]	RestrictedBVMF4 ActiveOrHistoricC urrencyAnd8Decim alAmount	decimal fractionDigits = 8 totalDigits = 28	Non regular traded volume (USD) - After Market.
1.31	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.

						N = None (the line already existed in the previous publication but doesn't was updated).
--	--	--	--	--	--	--

SecuritiesLendingPositionFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	SecuritiesLendingPosition	SctiesLndgPos	[0..*]	+		This file contains the open position of securities lending.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.8	BalanceQuantity	BalQty	[1..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Total quantity of financial instruments of the balance.
1.9	TradeAveragePrice	TradAvrgPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Trade average price.
1.10	PriceFactor	PricFctr	[1..1]	int	int	A factor that indicates the number of stocks that make up the price. The order price is displayed based on the price factor, e.g., if price factor is 1, the order price refers to 1 stock. If the price factor is 1000, the order price represents the price of 1000 stocks.
1.11	BalanceValue	BalVal	[1..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Provides the total position value.

1.12	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	<p>This field shows the updating data of a particular record. The valid states are:</p> <p>I = Included (the line does not exist in the previous line). The first publications of the day has this status.</p> <p>U = Updated (the line already existed in the previous publication but was updated).</p> <p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>
------	------------	---------	--------	----------	--	--

OpenPositionFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	OpenPosition	OpnPos	[0..*]	+		Contains open positions.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktIdrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[0..1]	ISINIdentifier	string maxLength = 4 minLength = 1	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	Asset	Asst	[1..1]	Max30Text	string pattern = [A-Z0-9]{12,12}	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.8	ExpirationCode	XprtnCd	[1..1]	Max4Text	decimal	Code of contract expiration.

					totalDigits = 28 fractionDigits = 8	<p>This attribute has two types of format:</p> <p>Format: MYY M = Month Code Y = Year Code</p> <p>Format: MYOA where: M = Month Code Y = Year Code O = Option Code A = Alphanumeric Sequence Code</p>
1.9	OpenInterest	OpnIntrst	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	string maxLength = 30 minLength = 1	Quantity of open contracts.
1.10	VariationOpenInter est	VartnOpnIntrst	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Variation in the number of open contracts from one day to the next.
1.11	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	<p>This field shows the updating data of a particular record. The valid states are:</p> <p>I = Included (the line does not exist in the previous line). The first publications of the day has this status.</p> <p>U = Updated (the line already existed in the previous publication but was updated).</p> <p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>

IndexesOpenPositionFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	IndexesOpenPositi on	IndxsOpnPos	[0..*]	+		Contains open positions.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.

1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[0..1]	ISINIdentifier	string maxLength = 4 minLength = 1	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	Asset	Asst	[1..1]	Max30Text	string pattern = [A-Z0-9]{12,12}	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.8	ExpirationCode	XprtnCd	[1..1]	Max4Text	decimal totalDigits = 28 fractionDigits = 8	Code of contract expiration. This attribute has two types of format: Format: MYY M = Month Code Y = Year Code Format: MYOA where: M = Month Code Y = Year Code O = Option Code A = Alphanumeric Sequence Code
1.9	OpenInterest	OpnIntrst	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	string maxLength = 30 minLength = 1	Quantity of open contracts.
1.10	VariationOpenInterest	VartnOpnIntrst	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Variation in the number of open contracts from one day to the next.
1.11	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.

						N = None (the line already existed in the previous publication but doesn't was updated).
--	--	--	--	--	--	--

ForwardOpenPositionFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	ForwardOpenPosition	FwdOpnPos	[0..*]	+		Forward Open Positions
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	SpecificationCode	SpcfctnCd	[0..1]	Max10Text	string maxLength = 10 minLength = 1	Code for specification of the stock e.g.: ON, PN.
1.7	CorporationName	CrpnNm	[1..1]	Max250Text	string maxLength = 250 minLength = 1	This field provides the corporation name.
1.8	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.9	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.10	OpenInterest	OpnIntrst	[0..1]	RestrictedBVMFA ctiveAnd8Decimal Quantity	decimal totalDigits = 28 fractionDigits = 8	Quantity of open contracts.
1.11	CurrentQuantity	CurQty	[1..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Current quantity.
1.12	ForwardPrice	FwdPric	[1..1]	RestrictedBVMF2 ActiveOrHistoricC	decimal fractionDigits = 4	Price of the forward contract.

				urrencyAnd4Deci malAmount	totalDigits = 19	
1.13	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

CashMarketPositionFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	CashMarketPosition	CshMktPos	[0..*]	+		Open positions in stock derivatives.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.7	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.8	DistributionIdentification	Dstrbtnd	[1..1]	int	int	Distribution code of the instrument Code that identifies the asset version. The pair "ISIN" + "Distribution Identification" is required for instruments that have a depositary, such as stocks and gold. There is no

						distribution for derivatives.
1.9	CoveredQuantity	CvrdQty	[1..1]	RestrictedFINDecimalNumber	decimal fractionDigits = 14 totalDigits = 14	Provides the covered quantity.
1.10	TotalBlockedPosition	TtlBlckdPos	[1..1]	RestrictedFINDecimalNumber	decimal fractionDigits = 14 totalDigits = 14	Provides the total blocked positions.
1.11	UncoveredQuantity	UcvrdQty	[1..1]	RestrictedFINDecimalNumber	decimal fractionDigits = 14 totalDigits = 14	Provides the uncovered quantity.
1.12	TotalPosition	TtlPos	[1..1]	RestrictedFINDecimalNumber	decimal fractionDigits = 14 totalDigits = 14	Provides the total positions.
1.13	BorrowerQuantity	BrwrQty	[1..1]	RestrictedBVMFAActiveAnd6DecimalQuantity	decimal totalDigits = 19 fractionDigits = 6	Provides the quantity of borrower clients.
1.14	LenderQuantity	LndrQty	[1..1]	RestrictedBVMFAActiveAnd6DecimalQuantity	decimal totalDigits = 19 fractionDigits = 6	Provides the quantity of lender clients.
1.15	DataStatus	DataSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

PortfolioCompositionFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	PortfolioComposition	PrtflCmpn	[0..*]	+		Contais the Portfolio Composition
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.

1.4	CorporationName	CrpnNm	[1..1]	Max250Text	string maxLength = 250 minLength = 1	This field provides the corporation name.
1.5	SpecificationCode	SpcfctnCd	[0..1]	Max10Text	string maxLength = 10 minLength = 1	Code of stock specification e.g.: ON, PN.
1.6	TheoreticalQuantity	ThrlQty	[1..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Instrument theoretical quantity
1.7	LastPrice	LastPric	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd12Decim alAmount	decimal totalDigits = 28 fractionDigits = 12	Closing price of the day.
1.8	EconomicValue	EcncVal	[1..1]	int	int	The Economic Value is the multiplication of the theoretical quantity (ThertQuant) by the closing price (LastPric).
1.9	StockParticipationP ercent	StockPrtcptnPct	[1..1]	int	int	This field contains the fluctuations by individual instruments in defining the total index.
1.10	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

StockPerIndexFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	StockPerIndex	StockPerIndx	[0..*]	+		Contains the Stock per Index
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	ExpirationDate	XprtnDt	[1..1]	ISODate	date	This attribute is the maturity date of the instrument.
1.3	CorporationName	CrpnNm	[1..1]	Max250Text	string maxLength = 250 minLength = 1	This field provides the corporation name.
1.4	SpecificationCode	SpcfctnCd	[0..1]	Max10Text	string maxLength = 10 minLength = 1	Code for specification ofthe stock e.g.: ON, PN.
1.5	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.

					minLength = 1	
1.6	AssetDescription	AsstDesc	[1..*]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.7	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

VolatilitySurfaceFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	VolatilitySurface	VoltlySrfc	[0..*]	+		Volatility Surface
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	Asset	Asst	[0..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, etc.
1.3	AssetDescription	AsstDesc	[1..*]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.4	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.5	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.6	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.7	OptionType	OptnTp	[1..1]	OptionType1Code	string	Specifies whether it is a Call option (right to purchase a specific underlying asset) or a Put option (right to sell a specific underlying asset).

1.8	ExpirationDate	XprtnDt	[1..1]	Date		Expiration date of a Futures or an Option.
1.9	WorkingDays	WrkgDays	[1..1]	int	int	Provides the number of business days, considering the date of the trading session until the date of contract expiration (inclusive).
1.10	CalendarDays	ClnrDays	[1..1]	int	int	Provides the number of calendar days, considering the date of the trading session until the date of contract expiration (inclusive).
1.11	DeltaValue	DltaVal	[0..1]	RestrictedBVMFA ctiveOrHistoricCur rencyAnd7Decimal Amount	decimal fractionDigits = 7 totalDigits = 19	Delta value.
1.12	VolatilityValue	VoltlyVal	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Implied volatility.
1.13	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

StructuredOperationInstrumentFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	StructuredOperationInstrument	StrdOprnInstrm	[0..*]	+		This file contains the Structured Operation Instrument.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	Sctyld	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.

1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.7	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.8	SegmentName	Sgmt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Segment represents the first level of market classification in the post trade process. Example:</p> <ul style="list-style-type: none"> 1 - Equity - Cash 2 - Equity derivatives 3 - Corporate bonds 4 - Agribusiness 5 - Financial 6 - Metal 7 - Energy 8 - Gov. Bonds 9 - FX <p>This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external is ExternalSegmentCode in the file ExternalCodeLists_BVMF.xls</p>
1.9	MarketName	Mkt	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Market represents the Second level of market classification in the post trade process. Example:</p> <ul style="list-style-type: none"> 1 - Spot Market 2 - Futures Market 3 - Options on Spot 4 - Options on Futures 5 - Forward 10 - Cash 12 - Options exercise (call) 13 - Options exercise (put) 17 - Auction 20 - Odd Lot 30 - Equity Forward 70 - Equity Call 80 - Equity Put

						This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external is ExternalMarketCode
1.10	Description	Desc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Description of Security in the Trade Structure system, e.g., Opção sobre ação, Opção sobre índice, Ouro, Futuro de Dolar, Swap Cambial, Rolagem de Soja, FWD Points DOL and so on.
1.11	SecurityCategoryName	SctyCtgy	[0..1]	Max50Text	string maxLength = 50 minLength = 1	A Security Category represents the third level of market classification in the post trade process. This field requires an external code list. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external is ExternalSecurityCategoryCode in the file ExternalCodeLists_BVMF.xls
1.12	ExpirationDate	XprtnDt	[1..1]	ISODate	date	This attribute is the maturity date of the instrument.
1.13	ExpirationCode	XprtnCd	[1..1]	Max4Text	string maxLength = 4 minLength = 1	Code of contract expiration. This attribute has two types of format: Format: MY M = Month Code Y = Year Code Format: MYOAwere: M = Month Code Y = Year Code O = Option Code A = Alphanumeric Sequence Code
1.14	TradingStartDate	TradgStartDt	[1..1]	ISODate	date	Start date of the financial instrument trading.
1.15	TradingEndDate	TradgEndDt	[1..1]	ISODate	date	Completion date of the financial instrument trading.
1.16	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.17	CFICode	CFICd	[1..1]	Max6Text	string minLength = 1 maxLength = 6	Code that classifies the instrument.
1.18	ContractMultiplier	CtrctMltplr	[0..1]swap	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Is the ratio between the contract size and the trading reference quantity. For Instance, Cattle is a 330 arrobas contract, but trade price refers to 1 arroba, so the multiplier is 330. Dollar contracts are 50000 USD but the price refers to 1000 USD, so the multiplier is 50. For contracts traded in rate instead of price, this attribute represents the ratio between target points and contract size

1.19	AllocationRoundLot	AllcnRndLot	[1..1]	int	int	Pre-defined lot size for allocation purposes.
1.20	TradingCurrency	TradgCcy	[1..1]	ExternalActiveOrHistoricCurrencyCode	string length = 3	This attribute has the code of the trading currency. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalActiveOrHistoricCurrencyCode ExternalCodeLists_BVMF.xls
1.21	ValueTypeName	ValTpCd	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Defines the type of value of instrument, e.g., price or rate. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalValueTypeCode ExternalCodeLists_BVMF.xls
1.22	RolloverBasePriceName	RlvrBasePricCd	[0..1]	Max35Text	string maxLength = 35 minLength = 1	Defines the base price to calculate the full value of the strategy. For SecurityCategory equal to "ROLLOVER", it indicates which price is used as base price for the most liquid leg. If SecurityClassification not equal to "ROLLOVER", field contents is irrelevant. Rollover is the process whereby a financial instrument is reinvested at maturity. For example: 1- Last Price 2- Settlement price This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalRolloverBasePriceCode ExternalCodeLists_BVMF.xls
1.23	OpeningFuturePositionDay	OpngFutrPosDay	[0..1]	int	int	Days to open futures position. For SecurityClassification "Forward Points", it indicates the the number of days between the strategy trade and the opening futures position, e.g., 0, 1, 2.
1.24	SideTypeCode1	SdTpCd1	[1..1]	Side1Code	string	Code that indicates, when buying a strategy, whether the leg of the strategy instrument must be bought or sold. This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalSideTypeCode ExternalCodeLists_BVMF.xls
1.25	UnderlyingTickerSymbol1	UndrlygTckrSymb1	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Identification underlying instrument (Ticker Symbol). Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.26	SideTypeCode2	SdTpCd2	[1..1]	Side1Code	string	Code that indicates, when buying a strategy, whether the leg of the strategy instrument must be bought or sold.

						This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalSideTypeCode ExternalCodeLists_BVMF.xls
1.27	UnderlyingTickerSymbol2	UndrlygTckrSymb2	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Identification underlying instrument (Ticker Symbol). Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.28	DataStatus	DataSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

IndexesStructuredOperationInstrumentFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	IndexesStructuredOperationInstrument	IndxsStrdOpnrmInstrm	[0..*]	+		This file contains the Structured Operation Instrument of indexes.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.4	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.5	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
1.6	Asset	Asst	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.7	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.

1.8	SegmentName	SgmtNm	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Segment represents the first level of market classification in the post trade process. Example:</p> <ul style="list-style-type: none"> 1 - Equity - Cash 2 - Equity derivatives 3 - Corporate bonds 4 - Agribusiness 5 - Financial 6 - Metal 7 - Energy 8 - Gov. Bonds 9 - FX <p>This field requires an external code list. These codes and values weremade in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external is ExternalSegmentCode in the file ExternalCodeLists_BVMF.xls</p>
1.9	MarketName	MktNm	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Market represents the Second level of market classification in the post trade process. Example:</p> <ul style="list-style-type: none"> 1 - Spot Market 2 - Futures Market 3 - Options on Spot 4 - Options on Futures 5 - Forward 10 - Cash 12 - Options exercise (call) 13 - Options exercise (put) 17 - Auction 20 - Odd Lot 30 - Equity Forward 70 - Equity Call 80 - Equity Put <p>This field requires an external code list. These codes and values weremade in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external is ExternalMarketCode</p>
1.10	Description	Desc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Description of Security in the Trade Structure system, e.g., Opção sobre ação, Opção sobre índice, Ouro, Futuro de Dolar, Swap Cambial, Rolagem de Soja, FWD Points DOL and so on.
1.11	SecurityCategoryName	SctyCtgyNm	[0..1]	Max50Text	string maxLength = 50 minLength = 1	<p>A Security Category represents the third level of market classification in the post trade process.</p> <p>This field requires an external code list. These codes and values weremade in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external is ExternalSecurityCategoryCode in the file</p>

						ExternalCodeLists_BVMF.xls
1.12	ExpirationDate	XprtnDt	[1..1]	ISODate	date	This attribute is the maturity date of the instrument.
1.13	ExpirationCode	XprtnCd	[1..1]	Max4Text	string maxLength = 4 minLength = 1	<p>Code of contract expiration.</p> <p>This attribute has two types of format:</p> <p>Format: MY Y M = Month Code Y = Year Code</p> <p>Format: MYO A where: M = Month Code Y = Year Code O = Option Code A = Alphanumeric Sequence Code</p>
1.14	TradingStartDate	TradgStartDt	[1..1]	ISODate	date	Start date of the financial instrument trading.
1.15	TradingEndDate	TradgEndDt	[1..1]	ISODate	date	Completion date of the financial instrument trading.
1.16	ISIN	ISIN	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nations International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
1.17	CFICode	CFICd	[0..1]	Max6Text	string minLength = 1 maxLength = 6	Code that classifies the instrument.
1.18	ContractMultiplier	CtrctMltplr	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Is the ratio between the contract size and the trading reference quantity. For Instance, Cattle is a 330 arrobas contract, but trade price refers to 1 arroba, so the multiplier is 330. Dollar contracts are 50000 USD but the price refers to 1000 USD, so the multiplier is 50. For contracts traded in rate instead of price, this attribute represents the ratio between target points and contract size
1.19	AllocationRoundLot	AllcnRndLot	[0..1]	int	int	Pre-defined lot size for allocation purposes.
1.20	TradingCurrency	TradgCcy	[1..1]	ExternalActiveOrHistoricCurrencyCode	string length = 3	<p>This attribute has the code of the trading currency.</p> <p>This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalActiveOrHistoricCurrencyCode ExternalCodeLists_BVMF.xls</p>
1.21	ValueTypeName	ValTpNm	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>Code that defines the type of value of instrument, e.g., price or rate.</p> <p>This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalValueTypeCode ExternalCodeLists_BVMF.xls</p>

1.22	RolloverBasePriceName	RlvrBasePricCd	[0..1]	Max35Text	string maxLength = 35 minLength = 1	<p>Defines the base price to calculate the full value of the strategy.</p> <p>For SecurityCategory equal to "ROLLOVER", it indicates which price is used as base price for the most liquid leg. If SecurityClassification not equal to "ROLLOVER", field contents is irrelevant. Rollover is the process whereby a financial instrument is reinvested at maturity.</p> <p>For example: 1- Last Price 2- Settlement price This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalRolloverBasePriceCode ExternalCodeLists_BVMF.xls</p>
1.23	OpeningFuturePositionDay	OpngFutrPosDay	[0..1]	int	int	<p>Days to open futures position. For SecurityClassification "Forward Points", it indicates the the number of days between the strategy trade and the opening futures position, e.g., 0, 1, 2.</p>
1.24	SideTypeCode1	SdTpCd1	[0..1]	Side1Code	string	<p>Code that indicates, when buying a strategy, whether the leg of the strategy instrument must be bought or sold.</p> <p>This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalSideTypeCode ExternalCodeLists_BVMF.xls</p>
1.25	UnderlyingTickerSymbol1	UndrlygTckrSymb1	[0..1]	TickerIdentifier	string maxLength = 35 minLength = 1	<p>Identification underlying instrument (Ticker Symbol). Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.</p>
1.26	SideTypeCode2	SdTpCd2	[0..1]	Side1Code	string	<p>Code that indicates, when buying a strategy, whether the leg of the strategy instrument must be bought or sold.</p> <p>This field requires a list of external code. These codes and values were made in external spreadsheets to enable flexible maintenance in accordance with the requirements of the BM&FBOVESPA updates. In this case the external file is in ExternalSideTypeCode ExternalCodeLists_BVMF.xls</p>
1.27	UnderlyingTickerSymbol2	UndrlygTckrSymb2	[0..1]	TickerIdentifier	string maxLength = 35 minLength = 1	<p>Identification underlying instrument (Ticker Symbol). Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.</p>
1.28	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	<p>This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated).</p>

						<p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>
--	--	--	--	--	--	--

IndexMarketDataFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
[1.0]	IndexMarketData	IndxMktData	[0..*]	+		Contains the indexes Market Data.
[1.1]	ReportDateTime	RptDtTm	[1..1]	ISODateTime	dateTime	Reference date of the information.
[1.2]	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
[1.3]	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
[1.4]	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
[1.5]	MarketIdentifierCode	MktIdrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF". (SecurityExchange)
[1.6]	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
[1.7]	IndexValue	IndxVal	[1..1]	RestrictedBVMF5 ActiveOrHistoricC urrencyAnd2Deci malAmount	decimal totalDigits = 20 fractionDigits = 2	Index value.
[1.8]	DataStatus	DataSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	<p>This field shows the updating data of a particular record. The valid states are:</p> <p>I = Included (the line does not exist in the previous line). The first publications of the day has this status.</p> <p>U = Updated (the line already existed in the previous publication but was updated).</p> <p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>

CurveGPSFile

INDEX	Message Item	Tag	Mult.	Data Type	Data Type Details	Description
1.0	CurveGPS	CrvGPS	[0..*]	+		Contains the option instruments. Contains the curves.
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	RateCode	RateCd	[1..1]	Max5Text	string maxLength = 5 minLength = 1	Rate code
1.3	RateDescription	RateDesc	[1..1]	Max15Text	string maxLength = 15 minLength = 1	Rate description.
1.4	YieldCurveCode	YldCrvCd	[1..1]	Max5Text	string maxLength = 5 minLength = 1	Yield curve code.
1.5	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.6	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
1.7	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a B3 instrument. Default Value = "BVMF" (Securities Exchange)
1.8	WorkingDays	WrkgDays	[1..1]	int	int	Provides the number of business days, considering the date of the trading session until the date of contract expiration (inclusive).
1.9	CalendarDays	ClnrDays	[1..1]	int	int	Provides the number of calendar days, considering the date of the trading session until the date of contract expiration (inclusive).
1.10	TheoreticalRate	ThrlRate	[1..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd7DecimalAmount	decimal fractionDigits = 7 totalDigits = 19	Theoretical rate.
1.11	DataStatus	DataSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

CurveFileV1

ÍNDICE	Campo	Abreviação do Campo	Card.	Tipo de Dado	Detalhe do Tipo de Dado	Descrição
1.0	Curve	Crv	[0..*]	+		Curve
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	RateCode	RateCd	[1..1]	Max5Text	string maxLength = 5 minLength = 1	Rate code
1.3	RateDescription	RateDesc	[1..1]	Max15Text	string maxLength = 15 minLength = 1	Rate description.
1.4	YieldCurveCode	YldCrvCd	[1..1]	Max5Text	string maxLength = 5 minLength = 1	Yield curve code.
1.5	WorkingDays	WrkgDays	[1..1]	int	int	Provides the number of business days, considering the date of the trading session until the date of contract expiration (inclusive).
1.6	VertexCharacteristic	VrtxChrtc	[1..1]	Max5Text	string maxLength = 5 minLength = 1	Vertex characteristic. Ex: Fixo Móvel
1.7	CalendarDays	ClnrDays	[1..1]	int	int	Provides the number of calendar days, considering the date of the trading session until the date of contract expiration (inclusive).
1.8	VertexCode	VrtxCd	[1..1]	int	int	Vertex code.
1.9	TheoreticalRate	ThrlRate	[1..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd7DecimalAmount	decimal fractionDigits = 7 totalDigits = 19	Theoretical rate.
1.10	DataStatus	DataSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

StockBehaviorFile

ÍNDICE	Campo	Abreviação do Campo	Card.	Tipo de Dado	Detalhe do Tipo de Dado	Descrição
1.0	StockBehavior	StockBhvr	[0..*]	+		Contains the Stock Behavior
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.3	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity Description
1.4	RisingSharesNumber	RsngShrsNb	[1..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Number of rising shares from composition.
1.5	FallingSharesNumber	FngShrsNb	[1..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Number of falling shares from composition
1.6	StableSharesNumber	StblShrsNb	[1..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Number of stable shares from composition.
1.7	DataStatus	DataSts	[1..1]	Max350Text	string maxLength = 350 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

CorporateActionFile

ÍNDICE	Campo	Abreviação do Campo	Card.	Tipo de Dado	Detalhe do Tipo de Dado	Descrição
1.0	CorporateAction	CorpActn	[0..*]	+		Archive that brings all the events of the day
1.1	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
1.2	CorporateActionIdentification	CorpActnId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Unique identifier associated with the event
1.3	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.

1.4	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
1.5	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Indicator or class of asset. The valid value for this field is "8".
1.6	MarketIdentifierCode	MktIdrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a BVMF instrument. Default Value = "BVMF". (Securities Exchange)
1.7	Asset	Asst	[1..1]	Max10Text	string maxLength = 10 minLength = 1	Asset associated with the security, such as DOL, BGI, OZ1, WDL, CNI, ICF, CCM, PETR etc.
1.8	AssetDescription	AsstDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Commodity description.
1.9	SegmentName	SgmtNm	[1..1]	Max50Text	string minLength = 1 maxLength = 50	A Segment represents the first level of market classification in the post trade process. Domain: EQUITY-CASH EQUITY-DERIVATE FIXED INCOME AGRIBUSINESS FINANCIAL METAL ENERGY GOV. BONDS FX OTC INDICATORS OTC traded Securities Lending

[1.10]	MarketName	MktNm	[1..1]	Max35Text	string maxLength = 35 minLength = 1	<p>A Market represents the Second level of market classification in the post trade process.</p> <p>Domain:</p> <p>Spot Future Options on Spot Options on Future Forward Cash Options exercise (call) Options exercise (put) Auction Odd Lot Equity Forward Equity Call Equity Put SWAP FLEXIBLE PUT OPTION FLEXIBLE CALL OPTION FORWARD Indicators Curves Surfaces Security Lending OTC</p>
[1.11]	Description	Desc	[0..1]	Max100Text	string maxLength = 100 minLength = 0	Description of the instrument usually consisting of the company name and paper type.
[1.12]	SpecificationCode	SpcfctnCd	[1..1]	Max10Text	string maxLength = 10 minLength = 1	Code for specification of the stock e.g.: ON, PN.
[1.13]	SecurityCategoryName	SctyCtgyNm	[1..1]	Max50Text	string minLength = 1 maxLength = 50	A Security Category represents the third level of market classification in the post trade process.
[1.14]	TradingStartDate	TradgStartDt	[1..1]	ISODate	date	Date of start of negotiation of the financial instrument.
[1.15]	TradingEndDate	TradgEndDt	[1..1]	ISODate	date	Completion date of the financial instrument trading.
[1.16]	CorporationName	CrpnNm	[1..1]	Max250Text	string maxLength = 250 minLength = 1	This field provides the corporation name.
[1.17]	ProcessCode	PrcCd	[1..1]	int	int	Number that identifies the Corporate Event Process in Radar System.
[1.18]	CourtApprovalDate	CrtApprvlDt	[0..1]	ISODate	date	Date upon which the assembly/court provided approval about the custody event.

[1.19]	CorporateActionType Code	CorpActnTpCd	[1..1]	int	int	<p>Corporate Event Type Code</p> <p>Domain:</p> <p>10 - DIVIDENDO 11 - RESTITUIÇÃO DE CAPITAL 12 - BONIFICAÇÃO EM DINHEIRO 13 - JUROS SOBRE CAPITAL PRÓPRIO 14 - RENDIMENTO 16 - JUROS 17 - AMORTIZAÇÃO 18 - PREMIO 19 - ATUALIZAÇÃO MONETÁRIA 20 - BONIFICAÇÃO EM ATIVOS 21 - RESTITUIÇÃO CAPITAL EM AÇÕES 22 - RESTITUIÇÃO CAPITALCOM REDUÇÃO DO NÚMERO DE AÇÕES 30 - DESDOBRAMENTO DE AÇÕES 40 - GRUPAMENTO 50 - SUBSCRIÇÃO 51 - PRIORIDADE DE SUBSCRICAO 52 - EXERCICIO DE SUBSCRICAO 53 - SUBSCRICAO COM RENUNCIA DO DIREITO DE PREFERENCIA 60 - INCORPORAÇÃO 70 - FUSÃO 71 - CANCELAMENTO DE FRAÇÕES 72 - LEILÃO DE FRAÇÕES 73 - DOAÇÃO DE FRAÇÕES 74 - ADMINISTRAÇÃO DE FRAÇÕES 75 - COMPRA DE FRAÇÕES 76 - VENDA DE FRAÇÕES 80 - CISÃO COM RED. DE CAPITAL 81 - CISÃO COM RED. DE CAPITAL E QTDE 90 - ATUALIZACAO 91 - EVENTO COM MÚLTIPLOS REQUISITOS E RESULTADOS 93 - RESGATE PARCIAL RENDA FIXA 94 - RESGATE RENDA FIXA 95 - CONVERSÃO DE ATIVOS 96 - DISSIDÊNCIA 97 - RESGATE RENDA VARIÁVEL 98 - RENDIMENTO LÍQUIDO 99 - SOBRAS DE SUBSCRIÇÃO</p>
--------	-----------------------------	--------------	--------	-----	-----	---

[1.20]	CorporateActionType Description	CorpActnTpDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	<p>Corporate Event Type Description</p> <p>Domain:</p> <ul style="list-style-type: none"> 10 - DIVIDENDO 11 - RESTITUIÇÃO DE CAPITAL 12 - BONIFICAÇÃO EM DINHEIRO 13 - JUROS SOBRE CAPITAL PRÓPRIO 14 - RENDIMENTO 16 - JUROS 17 - AMORTIZAÇÃO 18 - PREMIO 19 - ATUALIZAÇÃO MONETÁRIA 20 - BONIFICAÇÃO EM ATIVOS 21 - RESTITUIÇÃO CAPITAL EM AÇÕES 22 - RESTITUIÇÃO CAPITALCOM REDUÇÃO DO NÚMERO DE AÇÕES 30 - DESDOBRAMENTO DE AÇÕES 40 - GRUPAMENTO 50 - SUBSCRIÇÃO 51 - PRIORIDADE DE SUBSCRICAO 52 - EXERCICIO DE SUBSCRICAO 53 - SUBSCRICAO COM RENUNCIA DO DIREITO DE PREFERENCIA 60 - INCORPORAÇÃO 70 - FUSÃO 71 - CANCELAMENTO DE FRAÇÕES 72 - LEILÃO DE FRAÇÕES 73 - DOAÇÃO DE FRAÇÕES 74 - ADMINISTRAÇÃO DE FRAÇÕES 75 - COMPRA DE FRAÇÕES 76 - VENDA DE FRAÇÕES 80 - CISÃO COM RED. DE CAPITAL 81 - CISÃO COM RED. DE CAPITAL E QTDE 90 - ATUALIZACAO 91 - EVENTO COM MÚLTIPLOS REQUISITOS E RESULTADOS 93 - RESGATE PARCIAL RENDA FIXA 94 - RESGATE RENDA FIXA 95 - CONVERSÃO DE ATIVOS 96 - DISSIDÊNCIA 97 - RESGATE RENDA VARIÁVEL 98 - RENDIMENTO LÍQUIDO 99 - SOBRAS DE SUBSCRIÇÃO
--------	------------------------------------	----------------	--------	------------	--	---

[1.21]	ISINOrigin	ISINOrgn	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
[1.22]	OriginDistributionCode	OrgnDstrbtnCd	[0..1]	int	int	Number that identifies the version of the asset. When there is a custody corporate event, symbol changing or any other variation on the asset, another distribution code will be generated . The pair "ISIN Code" + "Distribution Code" is required for asset in the Central Depository. The BM&FBOVESPA Central Depository manages the Corporate Events.
[1.23]	ISINProduct	ISINPdct	[0..1]	Max50Text	string minLength = 1 maxLength = 50	The ISIN code (International Securities Identification Number) was created to standardize the codes of securities. It assigns a unique international code which identifies each asset. ISO Norm 6166 or ISIN (International Securities Identification Number) has been created to standardize the codes of securities, assigning a unique international code which identifies each asset.
[1.24]	DistributionProduct	DstrbtnPdct	[1..1]	int	int	Number that identifies the version of the asset. When there is a custody corporate event, symbol changing or any other variation on the asset, another distribution code will be generated . The pair "ISIN Code" + "Distribution Code" is required for asset in the Central Depository. The BM&FBOVESPA Central Depository manages the Corporate Events.
[1.25]	ISINDestination	ISINDstn	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	Number that identifies the version of the asset. When there is a custody corporate event, symbol changing or any other variation on the asset, another distribution code will be generated . The pair "ISIN Code" + "Distribution Code" is required for asset in the Central Depository. The BM&FBOVESPA Central Depository manages the Corporate Events.
[1.26]	DistributionDestination	DstrbtnDstn	[1..1]	int	int	Number that identifies the version of the asset. When there is a custody corporate event, symbol changing or any other variation on the asset, another distribution code will be generated . The pair "ISIN Code" + "Distribution Code" is required for asset in the Central Depository. The BM&FBOVESPA Central Depository manages the Corporate Events.

[1.27]	SpecialExDate	SpclExDt	[1..1]	ISODateTime	dateTime	<p>The ex-dividend date is the day on which the shares bought and sold are not entitled to receive the dividend declared recently (paper trading without the right).</p> <p>When a company declares a dividend, sets a record date when the investor shareholders can receive dividends. Once the company sets such record date, the stock exchanges fix the ex-dividend date. The ex-dividend date is usually two business days before the record date. Should investors buy a stock on or after the ex-dividend date will not receive the next dividend payment. Instead, the vendor receives the dividend. If the investor to buy before the ex-dividend date will receive the dividend.</p> <p>An ex-dividend action is identified with an X.</p> <p>Example: On July 27, 2013, the Company XYZ declares a dividend payable to the shareholders on September 10, 2013. XYZ also announces and records that the shareholders are entitled to dividends before, on August 10, 2013. The stock exchange fixes, then the dividend two business days before the record date, on 06 August 2013.</p>
[1.28]	UpdateDate	UpdDt	[1..1]	ISODate	date	Date of Update (Date that the event is updated in custody) This date is used by systems that accompany the custody, in variable income, update the position in D + 3.
[1.29]	PaymentDate	PmtDt	[1..1]	ISODate	date	Payment Date.
[1.30]	TradingCurrency	TradgCcy	[1..1]	ExternalActiveOrHistoricCurrencyCode	string length = 3	<p>This attribute has the code of the trading currency.</p> <p>Domain:</p> <p>BRL - REAL USD - DOLAR DOS EUA ARS - PESO (ARGENTINA)</p>
[1.31]	EventValue	EvtVal	[0..1]	ActiveCurrencyAnd13DecimalAmount	decimal totalDigits = 18 fractionDigits = 13 minInclusive = 0	<p>Value of the Corporate Event, this value can be expressed in factor or cash.</p> <p>For cash events, this field will bring monetary value For active / voluntary events this field will bring a factor</p>
[1.32]	PaymentInstallmentQuantity	PmtInstlmtQty	[0..1]	int	int	Number of Plots for Payment
[1.33]	SubscriptionInitialDate	SbcptInitlDt	[0..1]	ISODate	date	Initial date of Request Custody Corporate Action Event
[1.34]	SubscriptionFinalDate	SbcptFnldt	[0..1]	ISODate	date	Date final of Request Custody Corporate Action Event
[1.35]	SubscriptionAssignmentDeadline	SbcptAssgnmtDdln	[0..1]	ISODate	date	Deadline for assignment of subscription rights
[1.36]	SASubscriptionClosingDate	SASbcptClsgDt	[0..1]	ISODate	date	Closing date for the subscription process in S / A

[1.37]	IsinRequisite	ISINRqst	[0..1]	Max50Text	string minLength = 1 maxLength = 50	Details about distribution requirement that receive the cash amount or asset
[1.38]	DistributionRequisite	DstrbtnRqst	[0..1]	int	int	Number that identifies the version of the asset. When there is a custody corporate event, symbol changing or any other variation on the asset, another distribution code will be generated . The pair "ISIN Code" + "Distribution Code" is required for asset in the Central Depository. The BM&FBOVESPA Central Depository manages the Corporate Events.
[1.39]	RequisiteFactor	RqstFctr	[0..1]	int	int	Factor that determines the base amount as a Requirement that will be used to compute the base balance of the corporate event
[1.40]	RequisiteValue	RqstVal	[0..1]	ActiveCurrencyAnd13DecimalAmount	decimal totalDigits = 18 fractionDigits = 13 minInclusive = 0	Issue Price of Subscription Paper
[1.41]	IsinResult	ISINRslt	[0..1]	Max50Text	string minLength = 1 maxLength = 50	ISIN of the paper Result of the Corporate Event Voluntary that has balance in the depository
[1.42]	DistributionResult	DstrbtnRslt	[0..1]	int	int	Number that identifies the version of the asset. When there is a custody corporate event, symbol changing or any other variation on the asset, another distribution code will be generated . The pair "ISIN Code" + "Distribution Code" is required for asset in the Central Depository. The BM&FBOVESPA Central Depository manages the Corporate Events.
[1.43]	ResultFactor	RsltFctr	[0..1]	int	int	Factor that determines the base amount as Result that will be used to compose the calculation of the base balance of the corporate event.
[1.44]	ResultValue	RsltVal	[0..1]	DecimalNumber	decimal fractionDigits = 17 totalDigits = 18	Provides the value of the right as result.
[1.45]	InstallmentFlagType Code	InstlmtFlgTpCd	[1..1]	int	int	Code that identifies the type of installment payment of the corporate event. Domain: 0. Bruto 1. Líquido 2. Quantidade 3. Frações

[1.46]	ActionClassCode	ActnClsCd	[1..1]	int	int	Corporate Event Class Code Domain: 1 - Eventos Tipo A (Altera distribuição) 2 - Eventos Tipo B (Altera ou não distribuição) 3 - Eventos Tipo C (Não altera distribuição)
[1.47]	TradeLastPrice	TradLastPric	[0..1]	RestrictedBVMFActiveOrHistoricCurrencyAnd12DecimalAmount	decimal totalDigits = 28 fractionDigits = 12	Closing price of the paper in the last trading session.
[1.48]	TradeClosingPrice	TradClsgPric	[0..1]	ActiveCurrencyAnd13DecimalAmount	decimal totalDigits = 18 fractionDigits = 13 minInclusive = 0	Closing price of the paper in the last trading session
[1.49]	EventActionTypeCode	EvtActnTpCd	[1..1]	int	int	Code type of action on the corporate custody event. Domain: A - Alteração de Eventos B - Cancelamento de Eventos (C - Eventos Creditados, por isso B é cancelamento) I - Inclusão de Eventos P - Parcelamento de Eventos
[1.50]	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

CorporateActionIndexFile

ÍNDICE	Campo	Abreviação do Campo	Card.	Tipo de Dado	Detalhe do Tipo de Dado	Descrição
[1.0]	CorporateActionIndex	CorpActnIndx	[0..*]	+		CorporateActionIndex
[1.1]	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
[1.2]	CorporateActionControlNumber	CorpActnCtrlNb	[1..1]	int	int	Code identifier for each corporate event, used to track the event of each event
[1.3]	UpdateDate	UpdDt	[1..1]	ISODate	date	Date of the event

[1.4]	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
[1.5]	SecurityIdentification	SctyId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
[1.6]	SecuritySource	SctySrc	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
[1.7]	MarketIdentifierCode	MktldrCd	[1..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a BVMF instrument. Default Value = "BVMF". (Securities Exchange)
[1.8]	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
[1.9]	DistributionIdentification	Dstrbtld	[1..1]	int	int	Distribution code of the instrument Code that identifies the asset version. The pair "ISIN" + "Distribution Identification" is required for instruments that have a depositary, such as stocks and gold. There is no distribution for derivatives.
[1.10]	CorporationName	CrpnNm	[1..1]	Max250Text	string maxLength = 250 minLength = 1	This field provides the corporation name.
[1.11]	SpecificationCode	SpcfctnCd	[1..1]	Max10Text	string maxLength = 10 minLength = 1	Code for specification of the stock e.g.: ON, PN.
[1.12]	CorporateActionDescription	CorpActnDesc	[1..1]	Max250Text	string maxLength = 250 minLength = 1	This field contains an explanation of what happens in a corporate action.
[1.13]	NoticeTitle	NtceTitle	[1..1]	Max250Text	string maxLength = 250 minLength = 1	Title of notice related to the corporate event
[1.14]	NoticeDate	NtceDt	[1..1]	ISODate	date	Date of notice related to the corporate event
[1.15]	ReferenceDate	RefDt	[1..1]	ISODate	date	Reference Date of Corporate Event. This date is used by systems that accompany the negotiation, update the position in D + 0.

[1.16]	specialExDate	SpclExDt	[1..1]	ISODateTime	dateTime	<p>The ex-dividend date is the day on which the shares bought and sold are not entitled to receive the dividend declared recently (paper trading without the right).</p> <p>When a company declares a dividend, sets a record date when the investor shareholders can receive dividends. Once the company sets such record date, the stock exchanges fix the ex-dividend date. The ex-dividend date is usually two business days before the record date. Should investors buy a stock on or after the ex-dividend date will not receive the next dividend payment. Instead, the vendor receives the dividend. If the investor to buy before the ex-dividend date will receive the dividend.</p> <p>An ex-dividend action is identified with an X.</p> <p>Example: On July 27, 2013, the Company XYZ declares a dividend payable to the shareholders on September 10, 2013. XYZ also announces and records that the shareholders are entitled to dividends before, on August 10, 2013. The stock exchange fixes, then the dividend two business days before the record date, on 06 August 2013.</p>
[1.17]	PaymentDate	PmtDt	[1..1]	ISODate	date	Payment Date.
[1.18]	CashPercentageValue	CshPctgVal	[1..1]	RestrictedBVMF2ActiveOrHistoricCurrencyAnd4DecimalAmount	decimal fractionDigits = 4 totalDigits = 19	Percentage value of the corporate event, for active and cash events
[1.19]	Amount	Amt	[1..1]	RestrictedBVMF2ActiveOrHistoricCurrencyAnd4DecimalAmount	decimal fractionDigits = 4 totalDigits = 19	Cash value of the corporate event
[1.20]	SubscriptionFinancialValue	SbcptFinVal	[1..1]	RestrictedBVMF2ActiveOrHistoricCurrencyAnd4DecimalAmount	decimal fractionDigits = 4 totalDigits = 19	Subscription financial value.
[1.21]	EventState	EvtState	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Event state
[1.22]	PriceFactor	PricFctr	[1..1]	int	int	A factor that indicates the number of shares that make up the price. The order price is displayed based on the price factor, e.g., if price factor is 1, the order price refers to 1 share. If the price factor is 1000, the order price represents the price of 1000 shares.
[1.23]	CalculationSequence	ClctnSeq	[1..1]	int	int	Calculation Sequence
[1.24]	CurrentStockNumber	CurStockNb	[1..1]	int	int	Actual Stock Number
[1.25]	CurrentFreeFloat	CurFreeFloat	[1..1]	RestrictedBVMF2ActiveOrHistoricCurrencyAnd4DecimalAmount	decimal fractionDigits = 4 totalDigits = 19	Actual free float

[1.26]	FreePercentageValue	FreePctgVal	[1..1]	RestrictedBVMF2ActiveOrHistoricCurrencyAnd4DecimalAmount	decimal fractionDigits = 4 totalDigits = 19	Percentage value of free
[1.27]	NewStockNumber	NewStockNb	[1..1]	int	int	New quantity of stock
[1.28]	NewFreeFloat	NewFreeFloat	[1..1]	RestrictedBVMF2ActiveOrHistoricCurrencyAnd4DecimalAmount	decimal fractionDigits = 4 totalDigits = 19	New free float
[1.29]	NewFreePercentageValue	NewFreePctgVal	[1..1]	RestrictedBVMF2ActiveOrHistoricCurrencyAnd4DecimalAmount	decimal fractionDigits = 4 totalDigits = 19	New percentage of free float
[1.30]	QuantityIndexBefore	QtyIndxBFRO	[1..1]	int	int	Amount of index before operation
[1.31]	QuantityIndexAfter	QtyIndxAfr	[1..1]	int	int	Amount of index after operation
[1.32]	Link	Lk	[1..1]	Max100Text	string maxLength = 100 minLength = 0	Link of notice related to the corporate event
[1.33]	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	<p>This field shows the updating data of a particular record. The valid states are:</p> <p>I = Included (the line does not exist in the previous line). The first publications of the day has this status.</p> <p>U = Updated (the line already existed in the previous publication but was updated).</p> <p>D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field.</p> <p>N = None (the line already existed in the previous publication but doesn't was updated).</p>

CorporateActionIssuerFindFile

ÍNDICE	Campo	Abreviação do Campo	Card.	Tipo de Dado	Detalhe do Tipo de Dado	Descrição
[1.0]	CorporateActionIssuerFind	CorpActnlssrFind	[0..*]	+		Issuer's file
[1.1]	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
[1.2]	CorporationName	CrpnNm	[1..1]	Max250Text	string maxLength = 250 minLength = 1	Name of the issuer's corporate name.

[1.3]	CorporateSpecificationName	CorpSpcfctnNm	[1..1]	Max50Text	string minLength = 1 maxLength = 50	Short Name Issuing Company
[1.4]	IssuerAcronym	IssrAcrn	[1..1]	Max4Text	string maxLength = 4 minLength = 1	Abbreviation that identifies the issuer used in the code ISIN (International Securities Identification Number).
[1.5]	IssuerCNPJ	IssrCNPJ	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Issuer CNPJ
[1.6]	IssuerTypeName	IssrTpNm	[0..1]	Max16Text	string maxLength = 16 minLength = 1	Name of the issuer type. Domain 1 OPERACIONAL - COMPANHIA ABERTA - OPERACIONAL 2 CONCORDATARIA - COMPANHIA ABERTA - CONCORDATARIA 3 RECUP.JUDICIAL - RECUPERAÇÃO JUDICIAL/EXTRAJUDICIAL 4 REC. EXTRAJUDIC - RECUPERAÇÃO EXTRAJUDICIAL 5 ADM ESP. RAET - REGIME DE ADMIN. ESPECIAL TEMPORÁRIA 6 INTERVENÇÃO - INTERVENÇÃO 7 SANÇÃO REG. B3 - SANÇÃO REG. B3 9 OUTRAS COND. - OUTRAS CONDICOOES
[1.7]	EconomicActivityName	EcncActvtyNm	[0..1]	Max100Text	string maxLength = 100 minLength = 0	Name of the legal structure. Domain: 0 0 0 0 Setor Inicial/Carga Inicial 1 1 1 1 Setor Inicial/Carga Inicial 100 100 100 0 Petróleo, Gás e Biocombustível/ Exploração e/ou Refino 100 100 101 0 Petróleo, Gás e Biocombustíveis/Exploração, Refino e Distribuição 100 100 500 0 Petróleo, Gás e Biocombustíveis/Máquinas e Equipamentos 100 100 900 0 Petróleo, Gás e Biocombustível / Distribuição de Combustíveis 200 150 450 0 Materiais Básicos/Mineração/Minerais Metálicos 200 150 700 0 Materiais Básicos/Mineração/Minerais Não Metálicos 200 300 100 0 Materiais Básicos/Siderurgia e Metalurgia/Siderurgia 200 300 200 0 Materiais Básicos/Siderurgia e Metalurgia/Artefatos de Ferro e Aço 200 300 300 0 Materiais Básicos/Siderurgia e Metalurgia/Artefatos de Cobre 200 450 100 0 Materiais Básicos/Químicos/Petroquímicos 200 450 200 0 Materiais Básicos/Químicos/Fertilizantes e Defensivos 200 450 990 0 Materiais Básicos/Químicos/Químicos Diversos 200 600 100 0 Materiais Básicos/Madeira e Papel/Madeira 200 600 200 0 Materiais Básicos/Madeira e Papel/Papel e Celulose 200 750 100 0 Materiais Básicos/Embalagens 200 990 990 0 Materiais Básicos/Materiais Diversos 300 100 100 0 Bens Industriais/Engenharia e Construção/Produtos para Construção 300 100 200 0 Bens Industriais/Engenharia e Construção/Construção Pesada

						300	100	300	0	Bens Industriais/Engenharia e Construção/Engenharia Consultiva
						300	100	400	0	Bens Industriais/Engenharia e Construção/Serviços Diversos
						300	150	200	0	Bens Industriais/Material de Transporte/Material Aeronáutico e de Defesa
						300	150	400	0	Bens Industriais/Material de Transporte/Material Ferroviário
						300	150	800	0	Bens Industriais/Material de Transporte/Material Rodoviário
						300	300	200	0	Bens Industriais/Equipamentos Elétricos
						300	450	100	0	Bens Industriais/Máquinas e Equipamentos/Motores , Compressores e Outros
						300	450	200	0	Bens Industriais/Máquinas e Equipamentos/Máq. e Equip. Industriais
						300	450	300	0	Bens Industriais/Máquinas e Equipamentos/Máq. e Equip. Construção e Agrícolas
						300	450	400	0	Bens Industriais/Máquinas e Equipamentos/Máq. e Equip. Hospitalares
						300	450	900	0	Bens Industriais/Máquinas e Equipamentos/Armas e Munições
						300	700	150	0	Bens Industriais/Transporte/Transporte Aéreo
						300	700	250	0	Bens Industriais/Transporte/Transporte Metroviário
						300	700	300	0	Bens Industriais/Transporte/Transporte Ferroviário
						300	700	450	0	Bens Industriais/Transporte/Transporte Hidroviário
						300	700	600	0	Bens Industriais/Transporte/Transporte Rodoviário
						300	700	750	0	Bens Industriais/Transporte/Exploração de Rodovias
						300	700	900	0	Bens Industriais/Transporte/Serviços de Apoio e Armazenagem
						300	750	100	0	Bens Industriais/Tecnologia da Informação/Computadores e Equipamentos
						300	750	600	0	Bens Industriais/Tecnologia da Informação/Programas e Serviços
						300	900	990	0	Bens Industriais/Serviços/Serviços Diversos
						300	950	100	0	Bens Industriais/Comércio/Material de Transporte
						300	950	300	0	Bens Industriais/Comércio/Máquinas e Equipamentos
						400	150	100	0	Construção e Transporte/Construção e Engenharia/Materiais de Construção
						400	150	200	0	Construção e Transporte/Construção e Engenharia/Construção Civil
						400	150	300	0	Construção e Transporte/Construção e Engenharia/Construção Pesada
						400	150	800	0	Construção e Transporte/Construção e Engenharia/Engenharia Consultiva
						400	150	870	0	Construção e Transporte/Construção e Engenharia/Serviços Diversos
						400	150	900	0	Construção e Transporte/Construção e Engenharia/Intermediação Imobiliária
						400	150	950	0	Construção e Transporte/Construção e Engenharia/Com de Material de Construção
						400	300	150	0	Construção e Transporte/Transporte/Transporte Aéreo
						400	300	250	0	Construção e Transporte/Transporte/Transporte Metroviário
						400	300	300	0	Construção e Transporte/Transporte/Transporte Ferroviário
						400	300	450	0	Construção e Transporte/Transporte/Transporte Hidroviário
						400	300	600	0	Construção e Transporte/Transporte/Transporte Rodoviário
						400	300	750	0	Construção e Transporte/Transporte/Exploração de Rodovias
						400	300	900	0	Construção e Transporte/Transporte/Serviços de Apoio e

						Armazenagem
					500 40 300 0	Consumo não Cíclico/Agropecuária/Agricultura
					500 100 100 0	Consumo Cíclico / Alimentos Processados /Açúcar e Alcool
					500 100 200 0	Consumo não Cíclico/Alimentos/Café
					500 100 400 0	Consumo não Cíclico/Alimentos/Grãos e Derivados
					500 100 600 0	Consumo não Cíclico/Alimentos/Carnes e Derivados
					500 100 800 0	Consumo não Cíclico/Alimentos/Laticínios
					500 100 990 0	Consumo não Cíclico/Alimentos/Alimentos Diversos
					500 200 100 0	Consumo não Cíclico/Bebidas/Cervejas e Refrigerantes
					500 300 100 0	Consumo não Cíclico/Fumo/Cigarros e Fumo
					500 400 250 0	Consumo não Cíclico/Produtos de Uso Pessoal e de
						Limpeza/Produtos de Uso Pessoal
					500 400 500 0	Consumo não Cíclico/Produtos de Uso Pessoal e de
						Limpeza/Produtos de Limpeza
					500 600 500 0	Consumo não Cíclico/Saúde/Medicamentos e Outros Produtos
					500 600 750 0	Consumo não Cíclico/Saúde/Serv.Méd.Hospit.,Análises e
						Diagnósticos
					500 900 400 0	Consumo não Cíclico/Diversos/Produtos Diversos
					500 950 100 0	Consumo não Cíclico/Comércio e Distribuição/Alimentos
					500 950 700 0	Consumo não Cíclico/Comércio e Distribuição/Medicamentos
					600 50 100 0	Consumo Cíclico/Construção Civil/Incorporações
					600 150 150 0	Consumo Cíclico/Tecidos, Vestuário e Calçados/Fios e Tecidos
					600 150 300 0	Consumo Cíclico/Tecidos, Vestuário e Calçados/Couro
					600 150 450 0	Consumo Cíclico/Tecidos, Vestuário e Calçados/Vestuário
					600 150 600 0	Consumo Cíclico/Tecidos, Vestuário e Calçados/Calçados
					600 150 750 0	Consumo Cíclico/Tecidos, Vestuário e Calçados/Acessórios
					600 300 100 0	Consumo Cíclico/Utilidades Domésticas/Eletrodomésticos
					600 300 800 0	Consumo Cíclico/Utilidades Domésticas/Móveis
					600 300 900 0	Consumo Cíclico/Utilidades Domésticas/Utensílios Domésticos
					600 350 100 0	Consumo Cíclico/Automóveis e Motocicletas
					600 450 200 0	Consumo Cíclico/Mídia/Produção e Difusão de Filmes e
						Programas
					600 450 400 0	Consumo Cíclico/Mídia/Jornais, Livros e Revistas
					600 450 600 0	Consumo Cíclico/Mídia/Publicidade e Propaganda
					600 750 200 0	Consumo Cíclico/Hotelaria
					600 750 600 0	Consumo Cíclico/Hoteis e Restaurantes /Restaurante e
						Similares
					600 850 200 0	Consumo Cíclico/Lazer/Bicicletas
					600 850 400 0	Consumo Cíclico/Lazer/Brinquedos e Jogos
					600 850 600 0	Consumo Cíclico/Lazer/Parques de Diversão
					600 850 700 0	Consumo Cíclico/Lazer/Produção de Eventos e Shows
					600 850 800 0	Consumo Cíclico/Lazer/Viagens e Turismo
					600 850 900 0	Consumo Cíclico/Lazer/Atividades Esportivas
					600 930 300 0	Consumo Cíclico/Diversos/Serviços Educacionais
					600 930 700 0	Consumo Cíclico/Diversos/Aluguel de carros
					600 930 800 0	Consumo Cíclico/Diversos/Programas de Fidelização
					600 950 150 0	Consumo Cíclico/Comércio/Tecidos, Vestuário e Calçados
					600 950 300 0	Consumo Cíclico/Comércio/Eletrodomésticos
					600 950 800 0	Consumo Cíclico/Comércio/Livrarias e Papelarias
					600 950 990 0	Consumo Cíclico/Comércio/Produtos Diversos
					625 200 100 0	Saúde/Medicamentos e Outros Produtos/Medicamentos e
						Outros Produtos

						625 400 100 0 Saúde/Serv.Méd.Hospit.,Análises e Diagnósticos 625 600 100 0 Saúde/Equipamentos 625 800 100 0 Saúde/Comércio e Distribuição/Medicamentos e Outros Produtos 650 100 100 0 Tecnologia da Informação/Computadores e Equipamentos 650 600 600 0 Tecnologia da Informação/Programas e Serviços 700 300 200 0 Telecomunicações/Telefonia Fixa 700 301 200 0 Telecomunicações 700 600 200 0 Telecomunicações/Telefonia móvel 800 200 50 0 Utilidade Pública/Energia Elétrica 800 400 200 0 Utilidade Pública/Água e Saneamento 800 600 200 0 Utilidade Pública/Gás 900 150 150 0 Financeiro e Outros/Intermediários Financeiros/Bancos 900 150 450 0 Financeiro e Outros/Intermediários Financeiros/Soc. Crédito e Financiamento 900 150 600 0 Financeiro e Outros/Intermediários Financeiros/Soc. Arrendamento Mercantil 900 150 900 0 Financeiro e Outros/Intermediários Financeiros/Outros Intermediários Financeiros 900 300 200 0 Financeiro e Outros/Securitizadoras de Recebíveis 900 400 300 0 Financeiro e Outros/Serviços Financeiros/Gestão de Recursos e Investimentos 900 400 900 0 Financeiro e Outros/Serviços Financeiros Diversos 900 450 50 0 Financeiro e Outros/Previdência e Seguros/Seguradoras 900 450 800 0 Financeiro e Outros/Previdência e Seguros/Soc. de Capitalização 900 450 900 0 Financeiro e Outros/Previdência e Seguros/Corretoras de Seguros 900 700 200 0 Financeiro e Outros/Exploração de Imóveis 900 700 400 0 Financeiro e Outros/Exploração de Imóveis/Intermediação Imobiliária 900 800 50 0 Financeiro e Outros/Holdings Diversificadas 900 850 990 0 Financeiro e Outros/Serviços Diversos 900 900 990 0 Financeiro e Outros/Outros 900 950 200 0 Financeiro e Outros/Fundos/Fundos Imobiliários 900 950 600 0 Financeiro e Outros/Fundos/Fundos de Ações 900 950 750 0 Financeiro e Outros/Fundos/Fundos de Direitos Creditórios 900 950 850 0 Financeiro e Outros/Fundos/Fundos Multimercado 900 950 900 0 Financeiro e Outros/Fundos/Fundos de Incentivo Setorial 900 990 900 0 Financeiro e Outros/Outros Títulos 950 100 100 0 Outros/Outros 999 0 0 0 Não Classificados 999 999 999 0 Não Classificados
[1.8]	issuerSocialCapital	IssrScIcptl	[0..1]	Currency13 Decimal	decimal fractionDigits = 13 minInclusive = 0 totalDigits = 18	Amount of the share capital of the Issuer.
[1.9]	EquitySpeciesName	EqtySpceNm	[0..1]	Max15Text	string maxLength = 15 minLength = 1	Name of the type of securities that the company may issue
[1.10]	FoundationDate	fndtnDt	[1..1]	ISODate	date	Date Corporate Foundation

[1.11]	CVMIssueDate	CVMIsseDt	[1..1]	ISODate	date	Date of registration of the issuer in stock exchange.
[1.12]	CVMDocumentNumber	CVMDocNb	[0..1]	Max35Text	string maxLength = 35 minLength = 1	Number that identifies the document in CVM
[1.13]	BVMFCategoryName	BVMFCtgyNm	[0..1]	Max15Text	string maxLength = 15 minLength = 1	<p>Name of the Issuer Category defined by BM&FBovespa.</p> <p>Domain:</p> <ul style="list-style-type: none"> 1 - A 2 - B 3 - BDR1 4 - BDR2 5 - BDR3 6 - BDRN 7 - FII 8 - FIA 9 - FIP 10 - FIDC 11 - INCENT FINAM 12 - CUST INFUNGIVEL 13 - LEILÕES 14 - FINAM 15 - FINOR 16 - FUNRES 17 - FISET 18 - CEPAC 19 - ETF R FIXA 20 - ETF R VARIÁVEL 99 - OUTROS
[1.14]	BVMFMarketName	BVMFMktNm	[0..1]	Max50Text	string minLength = 1 maxLength = 50	<p>Name of the Market where the issuer's securities can be traded Ex. Stock Exchange, Organized Counter BVMF, Non-Organized Counter.</p> <p>Domain:</p> <ul style="list-style-type: none"> 1 - BOLSA 2 - BALCÃO ORGANIZADO BVMF 3 - BALCÃO NÃO ORGANIZADO 20 - BALCÃO ORGANIZADO BVMF1 99 - OUTROS

[1.15]	CorporateGovernanceLevelName	CorpGovnlvlNm	[0..1]	Max50Text	string minLength = 1 maxLength = 50	Name of the Level for Corporate Governance which is assigned to a company that voluntarily undertakes to adopt additional corporate governance and disclosure practices in relation to what is required by law. Domain: 1 - NIVEL 1 2 - NIVEL 2 3 - Novo Mercado 4 - BOLSA 5 - MBO BVMF 6 - MAIS 7 - MAIS NIVEL 2
[1.16]	ExchangeQuotedIndicator	XchgQtdInd	[0..1]	TrueFalseIndicator	boolean	Indicates if the issuer is quoted in the Stock Exchange.
[1.17]	lastUpdateDate	LastUpdDt	[0..1]	ISODate	date	Date of the last change made at the issuing company.
[1.18]	DataStatus	DataSts	[0..1]	Max1Text	string maxLength = 1 minLength = 1	This field shows the updating data of a particular record. The valid states are: I = Included (the line does not exist in the previous line). The first publications of the day has this status. U = Updated (the line already existed in the previous publication but was updated). D = Deleted (the row will be deleted). This informations will be showed only one time in the previous publications, and after, the deletations will be done. If a one new file will be generate after this status, the informations does not showed in the field. N = None (the line already existed in the previous publication but doesn't was updated).

CorporateActionLifeCycleFile

ÍNDICE	Campo	Abreviação do Campo	Card.	Tipo de Dado	Detalhe do Tipo de Dado	Descrição
[1.0]	CorporateActionLifeCycle	CorpActnLifeCycl	[0..*]	+		CorporateActionLifeCycle
[1.1]	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
[1.2]	CorporateActionControlNumber	CorpActnCtrlNb	[1..1]	Max30Text	string maxLength = 30 minLength = 1	Code identifier for each corporate event, used to track the event of each event
[1.3]	PublicationDate	PblctnDt	[1..1]	ISODate	date	Date of the event
[1.4]	OriginInformation	OrgnInf	[1..1]	Max20Text	string maxLength = 20 minLength = 1	Origin of the information Domain: Schedule System
[1.5]	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.

[1.6]	SecurityIdentification	SctyId	[0..1]	Max35Text	string maxLength = 35 minLength = 1	Single numeric code used to identify the instrument in the B3 trading environment.
[1.7]	SecuritySource	SctySrc	[0..1]	Max35Text	string maxLength = 35 minLength = 1	Qualifier of the instrument. Valid value for this field is "8".
[1.8]	MarketIdentifierCode	MktIdrCd	[0..1]	MICIdentifier	string pattern = [A-Z0-9]{4,4}	Market Identifier Code. Identification of the exchange as stipulated in the ISO 10383 standard "Codes for exchanges and market identifications". This tag is optional and if no Securities Exchange is provided - it is assumed to be a BVMF instrument. Default Value = "BVMF". (Securities Exchange)
[1.9]	OriginNegotiationFactor	OrgnNgtnFctr	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	Origin instrument negotiation factor (Origin ISIN).
[1.10]	ISINProduct	ISINPdct	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	It is the ISIN for the product. For cash payment is equal ISIN origin
[1.11]	DestinationNegotiationFactor	DstnNgtnFctr	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	Destination instrument negotiation factor by Destination ISIN.
[1.12]	ISINRequisite	ISINRqst	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	Used only for voluntary ISINs
[1.13]	ISINResult	ISINRslt	[0..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	ISIN Result
[1.14]	DistributionIdentification	Dstrbtnd	[0..1]	int	int	Distribution code of the instrument Code that identifies the asset version. The pair "ISIN" + "Distribution Identification" is required for instruments that have a depositary, such as stocks and gold. There is no distribution for derivatives.
[1.15]	CorporationName	CrpnNm	[1..1]	Max250Text	string maxLength = 250 minLength = 1	This field provides the corporation name.
[1.16]	SpecificationCode	SpcfctnCd	[1..1]	Max10Text	string maxLength = 10 minLength = 1	Code for specification of the stock e.g.: ON, PN.

[1.17]	CorporateActionEventTypeCode	CorpActnEvtTpCd	[1..1]	int	int	<p>Name that identifies the Corporate Action Event type.</p> <p>Domain values:</p> <p>10 - DIVIDENDO 11 - RESTITUIÇÃO DE CAPITAL 12 - BONIFICAÇÃO EM DINHEIRO 13 - JUROS SOBRE CAPITAL PRÓPRIO 14 - RENDIMENTO 16 - JUROS 17 - AMORTIZAÇÃO 18 - PREMIO 19 - ATUALIZAÇÃO MONETÁRIA 20 - BONIFICAÇÃO EM ATIVOS 21 - RESTITUIÇÃO CAPITAL EM AÇÕES 22 - RESTITUIÇÃO CAPITALCOM REDUÇÃO DO NÚMERO DE AÇÕES 30 - DESDOBRAMENTO DE AÇÕES 40 - GRUPAMENTO 50 - SUBSCRIÇÃO 51 - PRIORIDADE DE SUBSCRICAO 52 - EXERCICIO DE SUBSCRICAO 53 - SUBSCRICAO COM RENUNCIA DO DIREITO DE PREFERENCIA 60 - INCORPORAÇÃO 70 - FUSÃO 71 - CANCELAMENTO DE FRAÇÕES 72 - LEILÃO DE FRAÇÕES 73 - DOAÇÃO DE FRAÇÕES 74 - ADMINISTRAÇÃO DE FRAÇÕES 75 - COMPRA DE FRAÇÕES 76 - VENDA DE FRAÇÕES 80 - CISÃO COM RED. DE CAPITAL 81 - CISÃO COM RED. DE CAPITAL E QTDE 90 - ATUALIZACAO 91 - EVENTO COM MÚLTIPLOS REQUISITOS E RESULTADOS 93 - RESGATE PARCIAL RENDA FIXA 94 - RESGATE RENDA FIXA 95 - CONVERSÃO DE ATIVOS 96 - DISSIDÊNCIA 97 - RESGATE RENDA VARIÁVEL 98 - RENDIMENTO LÍQUIDO 99 - SOBRAS DE SUBSCRIÇÃO</p>
[1.18]	CorporateActionDescription	CorpActnDesc	[1..1]	Max250Text	string maxLength = 250 minLength = 1	This field contains an explanation of what happens in a corporate action.
[1.19]	NoticeType	NtceTp	[0..1]	Max50Text	string minLength = 1 maxLength = 50	Title of notice related to the corporate event
[1.20]	NoticeDate	NtceDt	[0..1]	ISODate	date	Date of notice related to the corporate event

[1.21]	ReferenceDate	RefDt	[1..1]	ISODate	date	Reference Date of Corporate Event. This date is used by systems that accompany the negotiation, update the position in D + 0.
[1.22]	SpecialExDate	SpcExDt	[1..1]	ISODateTime	dateTime	<p>The ex-dividend date is the day on which the shares bought and sold are not entitled to receive the dividend declared recently (paper trading without the right).</p> <p>When a company declares a dividend, sets a record date when the investor shareholders can receive dividends. Once the company sets such record date, the stock exchanges fix the ex-dividend date. The ex-dividend date is usually two business days before the record date. Should investors buy a stock on or after the ex-dividend date will not receive the next dividend payment. Instead, the vendor receives the dividend. If the investor to buy before the ex-dividend date will receive the dividend.</p> <p>An ex-dividend action is identified with an X.</p> <p>Example: On July 27, 2013, the Company XYZ declares a dividend payable to the shareholders on September 10, 2013. XYZ also announces and records that the shareholders are entitled to dividends before, on August 10, 2013. The stock exchange fixes, then the dividend two business days before the record date, on 06 August 2013.</p>
[1.23]	PaymentDate	PmtDt	[0..1]	ISODate	date	Payment Date.
[1.24]	SubscriptionStartDate	SbcptStartDt	[0..1]	ISODate	date	Subscription start date
[1.25]	SubscriptionEndDate	SbcptEndDt	[0..1]	ISODate	date	Subscription end date
[1.26]	TradingEndDate	TradgEndDt	[0..1]	ISODate	date	Completion date of the financial instrument trading.
[1.27]	AssignmentEndDate	AssgmtEndDt	[0..1]	ISODate	date	End date of when the user can make the right assignments to book
[1.28]	TransferEndDate	TrfEndDt	[0..1]	ISODate	date	Transfer end date - subscription
[1.29]	EventValue	EvtVal	[0..1]	Currency13Decimal	decimal fractionDigits = 13 minInclusive = 0 totalDigits = 18	Percentage value of the corporate event, for active and cash events
[1.30]	SubscriptionFinancial Value	SbcptFinVal	[0..1]	Currency13Decimal	decimal fractionDigits = 13 minInclusive = 0 totalDigits = 18	Subscription financial value.
[1.31]	BonusValue	BonusVal	[0..1]	Currency13Decimal	decimal fractionDigits = 13 minInclusive = 0 totalDigits = 18	Unit price of Bonus equity.
[1.32]	FractionTreatment	FrctnTrtmnt	[0..1]	int	int	Fraction treatment

[1.33]	EventActionTypeCode	EvtActnTpCd	[1..1]	Max1Text	string maxLength = 1 minLength = 1	Event state Domain values: A = Alteração Evento B = Cancelamento Evento I = Novo Evento P = Parcelamento Evento T = Crédito Evento
[1.34]	PriceFactor	PricFctr	[0..1]	int	int	A factor that indicates the number of shares that make up the price. The order price is displayed based on the price factor, e.g., if price factor is 1, the order price refers to 1 share. If the price factor is 1000, the order price represents the price of 1000 shares.
[1.35]	CalculationSequence	ClctnSeq	[0..1]	int	int	Sequence of involuntary corporate event calculation.
[1.36]	Link	Lk	[0..1]	Max250Text	string maxLength = 250 minLength = 1	Link of notice related to the corporate event

CorporateActionScheduleBDRFile

ÍNDICE	Campo	Abreviação do Campo	Card.	Tipo de Dado	Detalhe do Tipo de Dado	Descrição
[1.0]	CorporateActionScheduleBDR	CorpActnSchdlBDR	[0..*]	+		CorporateActionScheduleBDR
[1.1]	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
[1.2]	CorporateActionIdentification	CorpActnId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Unique identifier associated with the event
[1.3]	CorporateActionControlNumber	CorpActnCtrlNb	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Publication number on news alert
[1.4]	EnetProtocol	EnetPrtcol	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Protocol of the document published in Enet
[1.5]	CorporationName	CrpnNm	[1..1]	Max250Text	string maxLength = 250 minLength = 1	This field provides the corporation name.
[1.6]	NoticeDate	NtceDt	[1..1]	ISODatetime	dateTime	Date of notice related to the corporate event
[1.7]	NoticeTitle	NtceTitle	[1..1]	Max250Text	string maxLength = 250 minLength = 1	Title of notice related to the corporate event

[1.8]	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.
[1.9]	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
[1.10]	SpecificationCode	SpcfctnCd	[1..1]	Max10Text	string maxLength = 10 minLength = 1	Code for specification of the stock e.g.: ON, PN.

[1.11]	CorporateActionEventTypeCode	CorpActnEvtTpCd	[0..1]	int	int	<p>Name that identifies the Corporate Action Event type. Domain values:</p> <p>10 - DIVIDENDO 11 - RESTITUIÇÃO DE CAPITAL 12 - BONIFICAÇÃO EM DINHEIRO 13 - JUROS SOBRE CAPITAL PRÓPRIO 14 - RENDIMENTO 16 - JUROS 17 - AMORTIZAÇÃO 18 - PREMIO 19 - ATUALIZAÇÃO MONETÁRIA 20 - BONIFICAÇÃO EM ATIVOS 21 - RESTITUIÇÃO CAPITAL EM AÇÕES 22 - RESTITUIÇÃO CAPITALCOM REDUÇÃO DO NÚMERO DE AÇÕES 30 - DESDOBRAMENTO DE AÇÕES 40 - GRUPAMENTO 50 - SUBSCRIÇÃO 51 - PRIORIDADE DE SUBSCRICAO 52 - EXERCICIO DE SUBSCRICAO 53 - SUBSCRICAO COM RENUNCIA DO DIREITO DE PREFERENCIA 60 - INCORPORAÇÃO 70 - FUSÃO 71 - CANCELAMENTO DE FRAÇÕES 72 - LEILÃO DE FRAÇÕES 73 - DOAÇÃO DE FRAÇÕES 74 - ADMINISTRAÇÃO DE FRAÇÕES 75 - COMPRA DE FRAÇÕES 76 - VENDA DE FRAÇÕES 80 - CISÃO COM RED. DE CAPITAL 81 - CISÃO COM RED. DE CAPITAL E QTDE 90 - ATUALIZACAO 91 - EVENTO COM MÚLTIPLOS REQUISITOS E RESULTADOS 93 - RESGATE PARCIAL RENDA FIXA 94 - RESGATE RENDA FIXA 95 - CONVERSÃO DE ATIVOS 96 - DISSIDÊNCIA 97 - RESGATE RENDA VARIÁVEL 98 - RENDIMENTO LÍQUIDO 99 - SOBRAS DE SUBSCRIÇÃO</p>
--------	------------------------------	-----------------	--------	-----	-----	---

[1.12]	CorporateActionDescription	CorpActnDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	<p>This field contains an explanation of what happens in a corporate action.</p> <p>Domain values:</p> <ul style="list-style-type: none"> 10 - DIVIDENDO 11 - RESTITUIÇÃO DE CAPITAL 12 - BONIFICAÇÃO EM DINHEIRO 13 - JUROS SOBRE CAPITAL PRÓPRIO 14 - RENDIMENTO 16 - JUROS 17 - AMORTIZAÇÃO 18 - PREMIO 19 - ATUALIZAÇÃO MONETÁRIA 20 - BONIFICAÇÃO EM ATIVOS 21 - RESTITUIÇÃO CAPITAL EM AÇÕES 22 - RESTITUIÇÃO CAPITALCOM REDUÇÃO DO NÚMERO DE AÇÕES 30 - DESDOBRAMENTO DE AÇÕES 40 - GRUPAMENTO 50 - SUBSCRIÇÃO 51 - PRIORIDADE DE SUBSCRICAO 52 - EXERCICIO DE SUBSCRICAO 53 - SUBSCRICAO COM RENUNCIA DO DIREITO DE PREFERENCIA 60 - INCORPORAÇÃO 70 - FUSÃO 71 - CANCELAMENTO DE FRAÇÕES 72 - LEILÃO DE FRAÇÕES 73 - DOAÇÃO DE FRAÇÕES 74 - ADMINISTRAÇÃO DE FRAÇÕES 75 - COMPRA DE FRAÇÕES 76 - VENDA DE FRAÇÕES 80 - CISÃO COM RED. DE CAPITAL 81 - CISÃO COM RED. DE CAPITAL E QTDE 90 - ATUALIZACAO 91 - EVENTO COM MÚLTIPLOS REQUISITOS E RESULTADOS 93 - RESGATE PARCIAL RENDA FIXA 94 - RESGATE RENDA FIXA 95 - CONVERSÃO DE ATIVOS 96 - DISSIDÊNCIA 97 - RESGATE RENDA VARIÁVEL 98 - RENDIMENTO LÍQUIDO 99 - SOBRAS DE SUBSCRIÇÃO
[1.13]	ReferenceDate	RefDt	[1..1]	ISODate	date	Reference Date of Corporate Event. This date is used by systems that accompany the negotiation, update the position in D + 0.

[1.14]	SpecialExDate	SpclExDt	[1..1]	ISODate	date	<p>The ex-dividend date is the day on which the shares bought and sold are not entitled to receive the dividend declared recently (paper trading without the right).</p> <p>When a company declares a dividend, sets a record date when the investor shareholders can receive dividends. Once the company sets such record date, the stock exchanges fix the ex-dividend date. The ex-dividend date is usually two business days before the record date. Should investors buy a stock on or after the ex-dividend date will not receive the next dividend payment. Instead, the vendor receives the dividend. If the investor to buy before the ex-dividend date will receive the dividend.</p> <p>An ex-dividend action is identified with an X.</p> <p>Example: On July 27, 2013, the Company XYZ declares a dividend payable to the shareholders on September 10, 2013. XYZ also announces and records that the shareholders are entitled to dividends before, on August 10, 2013. The stock exchange fixes, then the dividend two business days before the record date, on 06 August 2013.</p>
[1.15]	PaymentDate	PmtDt	[0..1]	ISODate	date	Payment Date.
[1.16]	CurrencySymbol	CcySymb	[0..1]	Max5Text	string maxLength = 5 minLength = 1	This field will bring the symbol of the currency used, in cases of cash event
[1.17]	EventValue	EvtVal	[1..1]	Currency13Decimal	decimal fractionDigits = 13 minInclusive = 0 totalDigits = 18	<p>Value of the Corporate Event, this value can be expressed in factor or cash.</p> <p>For cash events, this field will bring monetary value For active / voluntary events this field will bring a factor</p>
[1.18]	NetValue	NetVal	[0..1]	Currency13Decimal	decimal fractionDigits = 13 minInclusive = 0 totalDigits = 18	Net value.
[1.19]	Note	Note	[0..1]	Max250Text	string maxLength = 250 minLength = 1	Note about corporate event
[1.20]	Link	Lk	[1..1]	Max250Text	string maxLength = 250 minLength = 1	Link of notice related to the corporate event
[1.21]	EventStatus	EvtSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	<p>Identifies the status on the Corporate Event.</p> <p>Domain Values:</p> <p>I - Inclusão de Eventos A - Alteração de Eventos E - Exclusão de Eventos</p>

CorporateActionScheduleFile_EOD

ÍNDICE	Campo	Abreviação do Campo	Card.	Tipo de Dado	Detalhe do Tipo de Dado	Descrição
[1.0]	CorporateActionSchedule	CorpActnSchdl	[0..*]	+		CorporateActionSchedule
[1.1]	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
[1.2]	CorporateActionIdentification	CorpActnId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Unique identifier associated with the event
[1.3]	CorporateActionControlNumber	CorpActnCtrlNb	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Publication number on news alert
[1.4]	EnetProtocol	EnetPrtcol	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Protocol of the document published in Enet
[1.5]	CorporationName	CrpnNm	[1..1]	Max250Text	string maxLength = 250 minLength = 1	This field provides the corporation name.
[1.6]	NoticeDate	NtceDt	[1..1]	ISODateTime	dateTime	Date of notice related to the corporate event
[1.7]	NoticeTitle	NtceTitle	[1..1]	Max250Text	string maxLength = 250 minLength = 1	Title of notice related to the corporate event
[1.8]	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	INTERNATIONAL SECURITIES IDENTIFICATION NUMBER - It is an international standardization in the codification of financial securities, assigning to each asset a unique identification code. The code for Brazilian securities presents the structure BR AAAA BBB CC 7, where: a) the first two characters (BR) identify the BRASIL code; b) the four characters (AAAA) are alphanumeric and identify the sender; c) the three characters (BBB) are alphanumeric and identify the type of asset, which may have automatic sequence in the second position (sequence 1) and in the third position (sequence 2) or have no sequence; d) the two characters (CC) are alphanumeric and identify the species, when dealing with shares, or represent an automatic sequence, to identify each issuance of security and securities, in the case of other categories; and e) the last character (7) is the control digit.
[1.9]	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
[1.10]	SpecificationCode	SpcfctnCd	[1..1]	Max10Text	string maxLength = 10 minLength = 1	Code for specification of the stock e.g.: ON, PN.

[1.11]	CorporateActionEventTypeCode	CorpActnEvtTpCd	[1..1]	int	int	<p>Name that identifies the Corporate Action Event type. Domain values:</p> <p>10 - DIVIDENDO 11 - RESTITUIÇÃO DE CAPITAL 12 - BONIFICAÇÃO EM DINHEIRO 13 - JUROS SOBRE CAPITAL PRÓPRIO 14 - RENDIMENTO 16 - JUROS 17 - AMORTIZAÇÃO 18 - PREMIO 19 - ATUALIZAÇÃO MONETÁRIA 20 - BONIFICAÇÃO EM ATIVOS 21 - RESTITUIÇÃO CAPITAL EM AÇÕES 22 - RESTITUIÇÃO CAPITALCOM REDUÇÃO DO NÚMERO DE AÇÕES 30 - DESDOBRAMENTO DE AÇÕES 40 - GRUPAMENTO 50 - SUBSCRIÇÃO 51 - PRIORIDADE DE SUBSCRICAO 52 - EXERCICIO DE SUBSCRICAO 53 - SUBSCRICAO COM RENUNCIA DO DIREITO DE PREFERENCIA 60 - INCORPORAÇÃO 70 - FUSÃO 71 - CANCELAMENTO DE FRAÇÕES 72 - LEILÃO DE FRAÇÕES 73 - DOAÇÃO DE FRAÇÕES 74 - ADMINISTRAÇÃO DE FRAÇÕES 75 - COMPRA DE FRAÇÕES 76 - VENDA DE FRAÇÕES 80 - CISÃO COM RED. DE CAPITAL 81 - CISÃO COM RED. DE CAPITAL E QTDE 90 - ATUALIZACAO 91 - EVENTO COM MÚLTIPLOS REQUISITOS E RESULTADOS 93 - RESGATE PARCIAL RENDA FIXA 94 - RESGATE RENDA FIXA 95 - CONVERSÃO DE ATIVOS 96 - DISSIDÊNCIA 97 - RESGATE RENDA VARIÁVEL 98 - RENDIMENTO LÍQUIDO 99 - SOBRAS DE SUBSCRIÇÃO</p>
--------	------------------------------	-----------------	--------	-----	-----	---

[1.12]	CorporateActionDescription	CorpActnDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	<p>This field contains an explanation of what happens in a corporate action.</p> <p>Domain values:</p> <ul style="list-style-type: none"> 10 - DIVIDENDO 11 - RESTITUIÇÃO DE CAPITAL 12 - BONIFICAÇÃO EM DINHEIRO 13 - JUROS SOBRE CAPITAL PRÓPRIO 14 - RENDIMENTO 16 - JUROS 17 - AMORTIZAÇÃO 18 - PREMIO 19 - ATUALIZAÇÃO MONETÁRIA 20 - BONIFICAÇÃO EM ATIVOS 21 - RESTITUIÇÃO CAPITAL EM AÇÕES 22 - RESTITUIÇÃO CAPITALCOM REDUÇÃO DO NÚMERO DE AÇÕES 30 - DESDOBRAMENTO DE AÇÕES 40 - GRUPAMENTO 50 - SUBSCRIÇÃO 51 - PRIORIDADE DE SUBSCRICAO 52 - EXERCICIO DE SUBSCRICAO 53 - SUBSCRICAO COM RENUNCIA DO DIREITO DE PREFERENCIA 60 - INCORPORAÇÃO 70 - FUSÃO 71 - CANCELAMENTO DE FRAÇÕES 72 - LEILÃO DE FRAÇÕES 73 - DOAÇÃO DE FRAÇÕES 74 - ADMINISTRAÇÃO DE FRAÇÕES 75 - COMPRA DE FRAÇÕES 76 - VENDA DE FRAÇÕES 80 - CISÃO COM RED. DE CAPITAL 81 - CISÃO COM RED. DE CAPITAL E QTDE 90 - ATUALIZACAO 91 - EVENTO COM MÚLTIPLOS REQUISITOS E RESULTADOS 93 - RESGATE PARCIAL RENDA FIXA 94 - RESGATE RENDA FIXA 95 - CONVERSÃO DE ATIVOS 96 - DISSIDÊNCIA 97 - RESGATE RENDA VARIÁVEL 98 - RENDIMENTO LÍQUIDO 99 - SOBRAS DE SUBSCRIÇÃO
[1.13]	ReferenceDate	RefDt	[1..1]	ISODate	date	Reference Date of Corporate Event. This date is used by systems that accompany the negotiation, update the position in D + 0.

[1.14]	SpecialExDate	SpclExDt	[1..1]	ISODate	date	<p>The ex-dividend date is the day on which the shares bought and sold are not entitled to receive the dividend declared recently (paper trading without the right).</p> <p>When a company declares a dividend, sets a record date when the investor shareholders can receive dividends. Once the company sets such record date, the stock exchanges fix the ex-dividend date. The ex-dividend date is usually two business days before the record date. Should investors buy a stock on or after the ex-dividend date will not receive the next dividend payment. Instead, the vendor receives the dividend. If the investor to buy before the ex-dividend date will receive the dividend.</p> <p>An ex-dividend action is identified with an X.</p> <p>Example: On July 27, 2013, the Company XYZ declares a dividend payable to the shareholders on September 10, 2013. XYZ also announces and records that the shareholders are entitled to dividends before, on August 10, 2013. The stock exchange fixes, then the dividend two business days before the record date, on 06 August 2013.</p>
[1.15]	PaymentDate	PmtDt	[0..1]	ISODate	date	Payment Date.
[1.16]	SubscriptionInitialDate	SbcptInitDt	[0..1]	ISODate	date	Date Initial of Request Custody Corporate Action Event
[1.17]	SubscriptionFinalDate	SbcptFnDt	[0..1]	ISODate	date	Date final of Request Custody Corporate Action Event
[1.18]	TradingEndDate	TradgEndDt	[0..1]	ISODate	date	Date used to signal the last day authorized for the negotiation date provided by the company.
[1.19]	CurrencySymbol	CcySymb	[1..1]	Max5Text	string maxLength = 5 minLength = 1	This field will bring the symbol of the currency used, in cases of cash event
[1.20]	EventValue	EvtVal	[1..1]	RestrictedBVMF1ActiveOrHistoricCurrencyAnd11DecimalAmount	decimal fractionDigits = 11 totalDigits = 19	<p>Value of the Corporate Event, this value can be expressed in factor or cash.</p> <p>For cash events, this field will bring monetary value For active / voluntary events this field will bring a factor</p>
[1.21]	SubscriptionFinancialValue	SbcptFinVal	[0..1]	RestrictedBVMF1ActiveOrHistoricCurrencyAnd11DecimalAmount	decimal fractionDigits = 11 totalDigits = 19	Subscription financial value.
[1.22]	BonusValue	BonusVal	[0..1]	RestrictedBVMF1ActiveOrHistoricCurrencyAnd11DecimalAmount	decimal fractionDigits = 11 totalDigits = 19	Unit price of Bonus equity.
[1.23]	FractionTreatment	FrctnTrtmnt	[0..1]	int	int	Fraction treatment
[1.24]	Note	Note	[0..1]	Max250Text	string maxLength = 250 minLength = 1	Note about corporate event

[1.25]	Link	Lk	[1..1]	Max250Text	string maxLength = 250 minLength = 1	Link of notice related to the corporate event
[1.26]	EventStatus	EvtSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	Identifies the status on the Corporate Event. Domain Values: I - Inclusão de Eventos A - Alteração de Eventos E - Exclusão de Eventos

CorporateActionScheduleFile

ÍNDICE	Campo	Abreviação do Campo	Card.	Tipo de Dado	Detalhe do Tipo de Dado	Descrição
[1.0]	CorporateActionSchedule	CorpActnSchdl	[0..*]	+		Notify corporate events
[1.1]	ReportDate	RptDt	[1..1]	ISODate	date	Reference date of the information.
[1.2]	CorporateActionIdentification	CorpActnId	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Unique identifier associated with the event
[1.3]	CorporateActionControlNumber	CorpActnCtrlNb	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Publication number on news alert
[1.4]	EnetProtocol	EnetPrtcol	[1..1]	Max35Text	string maxLength = 35 minLength = 1	Protocol of the document published in Enet
[1.5]	CorporationName	CrpnNm	[1..1]	Max250Text	string maxLength = 250 minLength = 1	This field provides the corporation name.
[1.6]	NoticeDate	NtceDt	[1..1]	ISODatetime	dateTime	Date of notice related to the corporate event
[1.7]	NoticeTitle	NtceTitle	[1..1]	Max250Text	string maxLength = 250 minLength = 1	Title of notice related to the corporate event

1.8	ISIN	ISIN	[1..1]	ISINIdentifier	string pattern = [A-Z0-9]{12,12}	INTERNATIONAL SECURITIES IDENTIFICATION NUMBER - It is an international standardization in the codification of financial securities, assigning to each asset a unique identification code. The code for Brazilian securities presents the structure BR AAAA BBB CC 7, where: a) the first two characters (BR) identify the BRASIL code; b) the four characters (AAAA) are alphanumeric and identify the sender; c) the three characters (BBB) are alphanumeric and identify the type of asset, which may have automatic sequence in the second position (sequence 1) and in the third position (sequence 2) or have no sequence; d) the two characters (CC) are alphanumeric and identify the species, when dealing with shares, or represent an automatic sequence, to identify each issuance of security and securities, in the case of other categories; and e) the last character (7) is the control digit.
1.9	TickerSymbol	TckrSymb	[1..1]	TickerIdentifier	string maxLength = 35 minLength = 1	Ticker that identifies a stock traded on a stock exchange. The Ticker Symbol is a short and convenient way of identifying a stock.
1.10	SpecificationCode	SpcfctnCd	[1..1]	Max10Text	string maxLength = 10 minLength = 1	Code for specification of the stock e.g.: ON, PN.

[1.11]	CorporateActionEventTypeCode	CorpActnEvtTpCd	[1..1]	int	int	<p>Name that identifies the Corporate Action Event type. Domain values:</p> <p>10 - DIVIDENDO 11 - RESTITUIÇÃO DE CAPITAL 12 - BONIFICAÇÃO EM DINHEIRO 13 - JUROS SOBRE CAPITAL PRÓPRIO 14 - RENDIMENTO 16 - JUROS 17 - AMORTIZAÇÃO 18 - PREMIO 19 - ATUALIZAÇÃO MONETÁRIA 20 - BONIFICAÇÃO EM ATIVOS 21 - RESTITUIÇÃO CAPITAL EM AÇÕES 22 - RESTITUIÇÃO CAPITALCOM REDUÇÃO DO NÚMERO DE AÇÕES 30 - DESDOBRAMENTO DE AÇÕES 40 - GRUPAMENTO 50 - SUBSCRIÇÃO 51 - PRIORIDADE DE SUBSCRICAO 52 - EXERCICIO DE SUBSCRICAO 53 - SUBSCRICAO COM RENUNCIA DO DIREITO DE PREFERENCIA 60 - INCORPORAÇÃO 70 - FUSÃO 71 - CANCELAMENTO DE FRAÇÕES 72 - LEILÃO DE FRAÇÕES 73 - DOAÇÃO DE FRAÇÕES 74 - ADMINISTRAÇÃO DE FRAÇÕES 75 - COMPRA DE FRAÇÕES 76 - VENDA DE FRAÇÕES 80 - CISÃO COM RED. DE CAPITAL 81 - CISÃO COM RED. DE CAPITAL E QTDE 90 - ATUALIZACAO 91 - EVENTO COM MÚLTIPLOS REQUISITOS E RESULTADOS 93 - RESGATE PARCIAL RENDA FIXA 94 - RESGATE RENDA FIXA 95 - CONVERSÃO DE ATIVOS 96 - DISSIDÊNCIA 97 - RESGATE RENDA VARIÁVEL 98 - RENDIMENTO LÍQUIDO 99 - SOBRAS DE SUBSCRIÇÃO</p>
--------	------------------------------	-----------------	--------	-----	-----	---

[1.12]	CorporateActionDescription	CorpActnDesc	[1..1]	Max100Text	string maxLength = 100 minLength = 0	<p>This field contains an explanation of what happens in a corporate action.</p> <p>Domain values:</p> <ul style="list-style-type: none"> 10 - DIVIDENDO 11 - RESTITUIÇÃO DE CAPITAL 12 - BONIFICAÇÃO EM DINHEIRO 13 - JUROS SOBRE CAPITAL PRÓPRIO 14 - RENDIMENTO 16 - JUROS 17 - AMORTIZAÇÃO 18 - PREMIO 19 - ATUALIZAÇÃO MONETÁRIA 20 - BONIFICAÇÃO EM ATIVOS 21 - RESTITUIÇÃO CAPITAL EM AÇÕES 22 - RESTITUIÇÃO CAPITALCOM REDUÇÃO DO NÚMERO DE AÇÕES 30 - DESDOBRAMENTO DE AÇÕES 40 - GRUPAMENTO 50 - SUBSCRIÇÃO 51 - PRIORIDADE DE SUBSCRICAO 52 - EXERCICIO DE SUBSCRICAO 53 - SUBSCRICAO COM RENUNCIA DO DIREITO DE PREFERENCIA 60 - INCORPORAÇÃO 70 - FUSÃO 71 - CANCELAMENTO DE FRAÇÕES 72 - LEILÃO DE FRAÇÕES 73 - DOAÇÃO DE FRAÇÕES 74 - ADMINISTRAÇÃO DE FRAÇÕES 75 - COMPRA DE FRAÇÕES 76 - VENDA DE FRAÇÕES 80 - CISÃO COM RED. DE CAPITAL 81 - CISÃO COM RED. DE CAPITAL E QTDE 90 - ATUALIZACAO 91 - EVENTO COM MÚLTIPLOS REQUISITOS E RESULTADOS 93 - RESGATE PARCIAL RENDA FIXA 94 - RESGATE RENDA FIXA 95 - CONVERSÃO DE ATIVOS 96 - DISSIDÊNCIA 97 - RESGATE RENDA VARIÁVEL 98 - RENDIMENTO LÍQUIDO 99 - SOBRAS DE SUBSCRIÇÃO
[1.13]	ReferenceDate	RefDt	[1..1]	ISODate	date	Reference Date of Corporate Event. This date is used by systems that accompany the negotiation, update the position in D + 0.

[1.14]	SpecialExDate	SpclExDt	[1..1]	ISODate	date	<p>The ex-dividend date is the day on which the shares bought and sold are not entitled to receive the dividend declared recently (paper trading without the right).</p> <p>When a company declares a dividend, sets a record date when the investor shareholders can receive dividends. Once the company sets such record date, the stock exchanges fix the ex-dividend date. The ex-dividend date is usually two business days before the record date. Should investors buy a stock on or after the ex-dividend date will not receive the next dividend payment. Instead, the vendor receives the dividend. If the investor to buy before the ex-dividend date will receive the dividend.</p> <p>An ex-dividend action is identified with an X.</p> <p>Example: On July 27, 2013, the Company XYZ declares a dividend payable to the shareholders on September 10, 2013. XYZ also announces and records that the shareholders are entitled to dividends before, on August 10, 2013. The stock exchange fixes, then the dividend two business days before the record date, on 06 August 2013.</p>
[1.15]	PaymentDate	PmtDt	[0..1]	ISODate	date	Payment Date.
[1.16]	SubscriptionInitialDate	SbcptInitDt	[0..1]	ISODate	date	Date Initial of Request Custody Corporate Action Event
[1.17]	SubscriptionFinalDate	SbcptFnDt	[0..1]	ISODate	date	Date final of Request Custody Corporate Action Event
[1.18]	TradingEndDate	TradgEndDt	[0..1]	ISODate	date	Date used to signal the last day authorized for the negotiation date provided by the company.
[1.19]	CurrencySymbol	CcySymb	[1..1]	Max5Text	string maxLength = 5 minLength = 1	This field will bring the symbol of the currency used, in cases of cash event
[1.20]	EventValue	EvtVal	[1..1]	RestrictedBVMF1ActiveOrHistoricCurrencyAnd11DecimalAmount	decimal fractionDigits = 11 totalDigits = 19	<p>Value of the Corporate Event, this value can be expressed in factor or cash.</p> <p>For cash events, this field will bring monetary value For active / voluntary events this field will bring a factor</p>
[1.21]	SubscriptionFinancialValue	SbcptFinVal	[0..1]	RestrictedBVMF1ActiveOrHistoricCurrencyAnd11DecimalAmount	decimal fractionDigits = 11 totalDigits = 19	Subscription financial value.
[1.22]	BonusValue	BonusVal	[0..1]	RestrictedBVMF1ActiveOrHistoricCurrencyAnd11DecimalAmount	decimal fractionDigits = 11 totalDigits = 19	Unit price of Bonus equity.
[1.23]	FractionTreatment	FrctnTrtmnt	[0..1]	int	int	Fraction treatment

[1.24]	Note	Note	[0..1]	Max250Text	string maxLength = 250 minLength = 1	Note about corporate event
[1.25]	Link	Lk	[1..1]	Max250Text	string maxLength = 250 minLength = 1	Link of notice related to the corporate event
[1.26]	EventStatus	EvtSts	[1..1]	Max1Text	string maxLength = 1 minLength = 1	Identifies the status on the Corporate Event. Domain Values: I - Inclusão de Eventos A - Alteração de Eventos E - Exclusão de Eventos



BRAZILIAN EXCHANGE AND OTC.

B3.COM.BR